

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
7 October 2004 (07.10.2004)

PCT

(10) International Publication Number
WO 2004/084752 A2

(51) International Patent Classification⁷: **A61C**
(21) International Application Number:
PCT/US2004/003951
(22) International Filing Date: 10 February 2004 (10.02.2004)
(25) Filing Language: English
(26) Publication Language: English
(30) Priority Data:
60/446,342 10 February 2003 (10.02.2003) US
60/446,300 10 February 2003 (10.02.2003) US
60/449,188 21 February 2003 (21.02.2003) US

(71) Applicant (for all designated States except US): **PALOMAR MEDICAL TECHNOLOGIES, INC.** [US/US]; 82 Cambridge Street, Burlington, MA 01803 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **ALTSHULER, Gregory, B.** [US/US]; 137 Marion Street, Wilmington, MA 01887 (US). **TUCHIN, Valery, V.** [RU/RU]; 32/34 Vol'skaya Street, Apartment 17, Saratov, 410600 (RU).

(74) Agents: **ENGELLENER, Thomas, J.** et al.; Nutter, McClenen & Fish, LLP, World Trade Center West, 155 Seaport Boulevard, Boston, MA 02210-2604 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.


(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: **LIGHT EMITTING ORAL APPLIANCE AND METHOD OF USE**



(57) Abstract: Oral phototherapy applicators are disclosed that are sized and shaped so as to fit at least partially in a user's mouth with a plurality of bristles of elongate shape coupled to an apparatus body. The applicators can be adapted to brush the user's teeth and further include at least one radiation emitter to the body to provide phototherapeutic radiation to a portion of the oral cavity other than tissue in contact with the bristles. In one embodiment, the phototherapy emitter irradiates both a region of tissue in contact with the bristles and a portion of the oral cavity that is not in contact with the apparatus. For example, the apparatus can include at least one emitter that irradiates tooth tissue in contact with the bristles and gum tissue surrounding the tooth tissue.

WO 2004/084752 A2

LIGHT EMITTING ORAL APPLIANCE AND METHOD OF USE**PRIORITY**

5 This Application claim the benefit of priority to U.S. Provisional Application
Serial Nos. 60/446,300, filed February 10, 2003 entitled "Light Emitting Toothbrush and
Method of Its Application for Oral Bacteria Reduction and Periodontal Disease and
Caries Lesion Treatment and Prevention;" 60/446,342, filed February 10, 2003 entitled
10 "Light Emitting Toothbrush and Method of Its Application for Tooth Whitening and
Brightening;" 60/449,188, filed February 21, 2003 entitled "Method and Apparatus for
Rejuvenation of Hard and Soft Oral Tissue and Perioral Facial Skin and for Prevention
and Healing of Diseases Thereof;" and claim priority as a continuation-in-part to U.S.
Utility Application Serial Nos. 10/680,705, filed October 7, 2003 entitled "Methods and
Apparatus for Performing Photobiostimulation" and 10/702,104, filed November 4,
15 2003 entitled "Methods and Apparatus for Delivering Low Power Optical Treatments,"
which is a continuation-in-part of 09/996,662, filed November 29, 2001 entitled
"Methods and Apparatus for Controlling the Temperature of a Surface."

BACKGROUND OF THE INVENTION

20 The present invention relates to methods and apparatus for treating the oral
cavity, including light emitting oral appliances such as light emitting toothbrushes and
light emitting mouthpieces.

 There are a wide spectrum of bacteria and other microorganisms found in the
oral cavity. Although the presence of microorganisms does not indicate an unhealthy
25 condition, if not attended to these microorganisms will cause a variety of undesirable
effects including oral disease and cosmetic degradation. Tooth discoloration, caries
formation, periodontitis and tooth loss are all possible results.

 Oral bacteria creates plaque, a sticky, colorless film of bacteria on the surfaces of
teeth and other tissue, and these plaque forming bacteria create toxins. Over time the
30 plaque begins combining with other materials and hardens into a rough, porous deposit,
calculus. The eventual result is gingival irritation (gingivitis) symptomized by gum
swelling, bleeding, and fibrous enlargement of the gingival. In addition, the growth of
plaque and calculus can cause the gums to move away from the teeth, resulting in

- 2 -

pockets between the teeth and gums where bacteria can thrive. The bacteria toxins can also destroy gum tissue and even lead to bone loss.

5 Thus, the prevention and treatment of periodontal gum disease and early caries requires effective bacteria killing or growth suppression within all regions of the oral cavity. In particular, bacteria killing within the junction of gingival tissue and tooth root surface and under the enamel surface is important, as well as, difficult using traditional means.

10 Application of available, on the market, toothbrushes, toothpastes, mouth rinsing solutions and/or mouth irrigators containing chemical antibacterial agents, for prevention of periodontal disease is only partly successful. In addition, once tissue damage has started, conventional treatments are not effective at reversing the results.

15 In addition, the oral cavity can host a variety of other conditions which may or may not be a direct result of bacterial growth, including, tongue diseases, inflammation of salivary glands and small sublingual ducts, damaged nerves, oral pain, sore throat/tonsillitis, tooth hypersensitivity, and tooth discoloration. These conditions and others would benefit from a novel oral treatment regimen.

20 Thus, there is a need in the art for improved oral treatments which can effectively kill and/or suppress microorganisms, help to reverse the damaging effects of bacteria, and/or provide treatment for conditions in, near, or related to the oral cavity.

SUMMARY OF THE INVENTION

25 The present invention provides methods and apparatus for treating tissue in, through, or around the oral cavity. The invention further includes light emitting oral applicators for performing phototherapy in the oral cavity.

30 In one aspect, the invention provides an oral phototherapy applicator having a body sized and shaped so as to fit at least partially within a user's oral cavity and includes at least one radiation emitting element for irradiating a portion of the oral cavity with phototherapeutic radiation. The applicator can be capable of emitting radiation in multiple distinct spectral bands, and/or radiating multiple areas within the oral cavity.

- 3 -

In further aspect of the invention, the oral applicator can be adapted to conform to the shape of at least a portion of the oral cavity. For example, the oral applicator body can be compliant to facilitate conformation to at least a portion of the oral cavity and/or can be adapted for positioning between a user's teeth and gums.

The oral applicator can optionally include a plurality of bristles that are substantially transparent to phototherapeutic radiation within at least one wavelength range. In one embodiment, the bristles can act as waveguides via optical coupling to a radiation emitter to receive and propagate radiation therefrom. The bristles can alternatively act to diffuse light based on an enhanced shape and/or a scattering agent disposed in the bristles to diffuse radiation. In addition, the bristles can have light refractive characteristics selected to inhibit light transmission to the oral cavity in the absence of contact between the bristle and a surface of the oral cavity.

In another aspect of the invention, the oral applicator can include an optical element for delivering radiation primarily to tissue other than teeth. For example, where the oral applicator includes bristles, the radiation can be emitted in a direction which is not parallel to the bristles.

In other aspects, the present invention provides methods of biostimulation by irradiating at least a portion of a subject's oral cavity with radiation having at least one selected wavelength component so as to induce a biostimulating effect. By way of example, the biostimulating effect can cause any of an increased blood and lymph microcirculation in the irradiated portion, activation of blood microcirculation in tooth pulp, increased local macrophage activity, increased fibroblast, osteoblast and odontoblast proliferation, killing of at least one of bacteria, fungi, and viruses in the oral cavity, normalization of the oral cavity pH, killing of viruses within the subject's blood microcirculatory system, light-induced destruction of selected metabolic blood components, reduction of gum bleeding, reduction of tooth hypersensitivity, pain reduction in teeth and throat, periodontal and bone regeneration, implant connection, remineralization of enamel, prevention of caries, root canal sterilization, inflammation prevention and periodontal disease prevention and healing. In a further embodiment, multiple treatments session of the radiation are administered so as to reach a selected total radiation dose and thereby provide biostimulation.

In a related aspect, the biostimulating effect is achieved by irradiating the oral cavity during multiple treatment sessions with a radiation power in range of about 1 mW/cm² to about 10 W/cm² so as to deposit a radiation dose in a range of about 1
5 Joules/cm² to about 1000 Joules/cm², and more preferably in a range of about 10 Joules/cm² to about 100 Joules/cm², in the irradiated tissue. The treatment sessions, each of which can last for about 10 seconds to about 1000 seconds, or longer if needed, can be repeated until a total therapeutic dose of radiation, e.g., a total radiation dose in a range of about X Joules/cm² to about X Joules/cm², and more preferably a total dose in
10 range of about X Joules/cm² about X Joules/cm², is deposited in the oral cavity tissue.

In another aspect, the biostimulating radiation is primarily directed to soft tissue in the oral cavity, e.g., facial tissue. In some embodiments, the oral cavity is irradiated so as to deposit a dose of radiation below the facial skin dermatological or cosmetic condition, such as acne.

15 In another aspect, the present invention provides a method of dental treatment that includes applying non-toxic chromophores to the oral cavity and delivering a low dose of radiation to the chromophores during a session. The radiation can have a wavelength in the absorption band of the non-toxic chromophore and the dose can be lower than the power density to which the chromophore is normally responsive. In
20 subsequent sessions, the step of applying radiation is repeated until the chromophore is activated. The chromophore is preferably a tooth whitening and brightening agent and/or an antimicrobial agent, which in one embodiment, is applied as a film having chromophores positioned therein. As an additional step, heat and/or an additional chromophore can be applied to the oral cavity.

25 In another aspect of the invention, the oral cavity is directly photobleached with optical radiation in a spectrum absorbed by endogenous photosensitizers. Preferably, the endogenous chromophores are tooth stains present in the dentine.

Further understanding of the invention can be obtained by reference to the following detailed description in conjunction with the associated drawings, described
30 briefly below.

- 5 -

BRIEF DESCRIPTION OF THE DRAWINGS

The invention will be more fully understood from the following detailed description taken in conjunction with the accompanying drawings:

5

FIG. 1 illustrates a light emitting toothbrush of the present invention;

FIG. 2A illustrates another embodiment of the light emitting toothbrush of the present invention;

10

FIG. 2B is another view of the embodiment shown in FIG. 2A;

FIG. 3 illustrates a light emitting mouthpiece of the present invention;

15

FIG. 4 illustrates another embodiment of the light emitting mouthpiece of the present invention;

FIG. 5 illustrates another embodiment of the light emitting toothbrush of the present invention;

20

FIG. 6 illustrates another embodiment of the light emitting toothbrush having a heat transfer element;

25

FIG. 7 illustrates another embodiment of the light emitting toothbrush having a heater;

FIG. 8 illustrates another embodiment of the light emitting toothbrush having a head frame shaped for heat transfer;

30

FIG. 9 illustrates another embodiment of the light emitting toothbrush directing radiation in a single direction;

- 6 -

FIG. 10 illustrates the light emitting toothbrush of FIG. 9 directing radiation in a different direction;

5 FIG. 11 illustrates the light emitting toothbrush of FIG. 9 directing radiation in a different direction;

FIG. 11A illustrates another embodiment of the light emitting toothbrush of the present invention;

10

FIG. 12 illustrates a light emitting toothbrush of the present invention capable of directing radiation in more than one direction;

FIG. 13 illustrates a light emitting toothbrush of the present invention directing
15 radiation in multiple directions directions;

FIG. 14 illustrates another embodiment of the light emitting toothbrush of FIG.
13;

20 FIG. 15 illustrates another embodiment of the light emitting toothbrush of FIG.
13;

FIG. 16 illustrates another embodiment of the light emitting toothbrush of FIG.
13;

25

FIG. 17 illustrates another embodiment of the light emitting toothbrush of FIG.
13;

FIG. 18 illustrates another embodiment of the light emitting mouthpiece of the
30 present invention capable of directing radiation at the tongue;

FIG. 19 illustrates another embodiment of the light emitting mouthpiece of the present invention capable of being positioned between the teeth and cheek;

- 7 -

FIG. 20 illustrates another embodiment of the light emitting mouthpiece of the present invention capable of delivering radiation to the floor of the oral cavity;

5 FIG. 20A illustrates a light emitting toothbrush of the present invention with an optical element;

FIG. 21 illustrates a light emitting toothbrush of the present invention with an active optical bristle;

10

FIG. 22 illustrates an active optical bristle of the present invention;

FIG. 23 illustrates another embodiment of the active optical bristle of the present invention;

15

FIG. 24 illustrates yet another embodiment of the active optical bristle of the present invention;

20

FIG. 25 illustrates yet another embodiment of the active optical bristle of the present invention;

FIG. 26 illustrates yet another embodiment of the active optical bristle of the present invention;

25

FIG. 27A illustrates another embodiment of the light emitting toothbrush of the present invention having a sensor and a controller;

FIG. 27B is another view of the light emitting toothbrush of FIG. 27A;

30

FIG. 28 illustrates another embodiment of the light emitting toothbrush of the present invention having a vibrating mechanism;

FIG. 29 illustrates another embodiment of the light emitting toothbrush of the present invention;

5 FIG. 30 illustrates another embodiment of the light emitting toothbrush of the present invention having electrical generating means;

FIG. 31 illustrates a graph of reflectance versus wavelength;

10 FIG. 32 is a chart of optical coupling agents;

FIG. 33 is a schematic of light entry into tooth structure;

15 FIG. 34 illustrates the entry of radiation into tooth enamel, dentine, and pulp;

FIG. 35 is a graph of reflectance versus wavelength before and after irradiation;

FIG. 36 is a graph of differential apparent optical density versus wavelength;

20 FIG. 37 illustrates a tooth whitening strip for use with the light emitting oral appliance of the present invention; and

FIG. 38 illustrates another embodiment of the light emitting oral appliance of the present invention.

25

DETAILED DESCRIPTION OF THE INVENTION

30 The present invention generally relates to light emitting oral appliances used for irradiating a user's oral cavity to treat conditions in, through and/or related to the oral cavity. The oral appliances of the present invention can include, for example, a light emitting toothbrush, a light emitting mouth piece, or various other types of light emitting probes adapted for insertion into the oral cavity.

- 9 -

With reference to FIGS. 1, 2A, and 2B, one embodiment of a light emitting tooth brush (LETB) 10 according to the teachings of the invention includes a head portion (brush head) 12 with bristles 14, or other delivery system of optical energy, and a handle portion 16. The head portion preferably includes at least one optical radiation source 18 and can optionally include other features such as a highly reflective surface 20 and sensors 22. The optical radiation sources can also be mounted in the handle portion.

While in some embodiments, the head portion 12 and handle portion 16 can be optionally formed as a single unit, in other embodiments, the handle portion and the body portion are removably and replaceably mated with one another to allow cleaning and/or replacement. Handle portion 16 can include an electrical power supply 32, such as a battery, and a control switch 34 and optionally control electronics. FIG. 2B shows a more detailed view of head portion 12 including a frame 38 that can protect the internal components, and can be optionally formed of a thermally conductive material, such as, metal, ceramic, sapphire, high thermoconductive composite materials such as plastic with carbon fiber, to provide heat transfer from the light source 18 to an external environment. Head portion 12 can also include bristles 14 and leads 39 for supplying electrical power from the power supply 32 to optical radiation source 18.

As discussed in more detail below, the radiation source 18 can be a single source generating radiation either in a single bandwidth, or multiple distinct bandwidths. Alternatively, the radiation source 18 can include a plurality of light sources, for example, a matrix or an array of light emitting diodes (LED), generating radiation in similar or different bandwidths. The radiation source can be a multi-band light source, such as a multicolor LED. In some embodiments, the radiation source can be a broadband source, such as a lamp, and can be optionally coupled to one or more filters for selecting radiation within one or more desired bandwidths.

FIG. 3 illustrates a light emitting mouthpiece (LEMP) 24 which includes a body portion 26 with optical radiation source 18. As shown, body portion 26 is sized and shaped to fit at least partially within a user's oral cavity. In addition, the body includes a surface shaped to conform to at least a portion of a user's oral cavity. In one embodiment, the light emitting mouthpiece can include a surface shaped for positioning against the teeth 28, including the incisors, bicuspid, and/or molars. The surface can also be formed to fit the portions of the oral cavity between the teeth and the walls of the

oral cavity. Other body portions for which the surface can be adapted include a user's tongue, the roof of a user's mouth (hard and/or soft palate), and/or the floor of the oral cavity (for example, beneath a user's tongue).

5 Mouthpiece 24 can preferably include a handle 30 which allows a user to grip the mouthpiece, and can contain an electrical power supply, such as a battery, and a control switch. In one embodiment, the handle also includes a pathway 31 for delivering or removing substances from the oral cavity. For example, pathway 31 can provide for the entrance and/or egress of air, the delivery of treatment agents and/or drugs, and water
10 evacuation.

FIG. 4 shows another embodiment of light emitting mouthpiece 24 including two substantially parallel prongs 27 defining a generally "U" shaped body portion. Each prong preferably has at least one optical radiation source 18, and preferably multiple optical radiation sources, which are positioned for radiating cheek and facial tissue when
15 the body is positioned within a user's oral cavity. Various other shapes are also useful including, for example, mouthpieces that surround both sides of the user's teeth in a manner similar to an athletic mouthguard. Optical radiation sources can be disposed on the inside of such mouthpieces to provide phototherapeutic radiation to the teeth and gums or disposed toward the outside to deliver phototherapy to the cheeks or facial
20 tissue.

The optical radiation source disposed in the light-emitting oral appliances of the present invention can preferably include a variety of radiation sources capable of delivering electromagnetic radiation in the range of about 280nm-100000 nm with power densities in the range of about 1-50,000 mW/cm² and total power 1 mW-10W.

25 One preferred radiation source is a LED or LED-matrix irradiator emitting at 1 to 20 different wavelengths. Radiation sources for the oral appliance are preferably compact, effective, low cost and provide the necessary wavelengths and power. In a preferred embodiment, the output spectrum of such radiation sources should preferably be in the range of about 280-12000 nm and have a power in the range of about 10 mW to 1 W.

30 The terms "light" and "radiation" are used interchangeably throughout this application to encompass the entire spectral range of optical radiation useful in the phototherapy, for example, a range of about 280 nm to about 100,000 nm, and are not limited to the visible spectrum. The size of the radiation source should preferably be small enough to package

in an oral appliance and be sufficiently efficient to be powered by a battery for at least 1-15 minutes.

5 In one embodiment, the light radiation source is solid-state lighting (SSL) including a light emitting diode (LED) and LED variations, such as, edge emitting LED (BELED), surface emitting LED (SELED) or high brightness LED (HBLED). The LED can be based on different materials such as AlInGa_N/AlN (emitting from 285 nm), SiC, AlInGa_N, GaAs, AlGaAs, GaN, InGa_N, AlGa_N, AlInGa_N, BaN, InBa_N, AlGaInP (emitting in NIR and IR), etc. LEDs also include organic LEDs which are constructed
10 with a polymer as the active material and which have a broad spectrum of emission. The radiation source can be an LED such as shaping of LED dies, LED with transparent confinement region, photonics crystal structure, or resonant-cavity light-emitting diodes (RCLED).

Other possibilities include a superluminescent diode (SLD) or LED which
15 preferably can provide a broad emission spectrum source. In addition, laser diode (LD), waveguide laser diode (WGLD), and a vertical cavity surface emitting laser (VCSEL) can also be utilized. The same materials used for LED's can be used for diode lasers. Other possibilities include a fiber laser (FL) with laser diode pumping. Fluorescence solid-state light source (FLS) with electro or light pumping from LD, LED or
20 current/voltage sources can also be the radiation source. The FLS can be an organic fiber with electrical pumping.

Lamps such as incandescent lamps, fluorescent lamps, micro halide lamps or other suitable lamps may also be used with the present invention. A lamp can provide the radiation source for white, red, NIR and IR irradiation. For the 5-100 micron range,
25 quantum cascade lasers (QCL) or far infrared emitting diodes can be used. One skilled in the art will appreciate that a variety of radiation sources can provide the necessary optical radiation for the optical appliance depending on size, power requirements, desired treatment regimen, and combinations thereof.

An LED, a laser diode, or a microlamp can generate heat energy that is up to 20
30 times higher than the generated optical energy. To accommodate unwanted waste heat, the light emitting oral appliance can include heat transfer and/or cooling mechanisms. For example, head portion 12 of the exemplary light emitting toothbrush can be at least partially formed of a heat conducting material for dissipating heat generated by the

- 12 -

radiation source. For example, with reference to FIG. 2B, the head portion 12 can include a head frame 38 that is constructed from a material having high thermal conductivity and/or good heat capacitance and is thermally coupled to the radiation source 18 to extract heat therefrom. This frame can be extended to external surfaces of the head, which can contact saliva or tissue during the use of the toothbrush. One skilled in the art will appreciate that a variety of materials can provide the necessary heat transfer such as, for example, metals including aluminum, copper or their alloy, ceramic and composite materials such as plastics having high thermally conductive components, such as carbon fiber. In one embodiment, heat is removed by heat transfer from the frame to adjacent tissue and/or saliva in contact with the light emitting toothbrush or light emitting mouthpiece. This heat can be employed for gentle heating of the oral tissue, and/or a paste applied to a portion of oral tissue, to provide additional or enhanced therapeutic effects.

In another aspect of the invention, heat can be transferred along the head portion of the light emitting toothbrush to the handle portion and dissipated into the surrounding environment, e.g., an operator's hand. FIG. 5 schematically illustrates a light emitting toothbrush according to one embodiment of the invention having a head portion 12, a handle portion 16, and at least one radiation source 18 incorporated in the head portion. A heat transfer element 19, e.g., in the form of an elongated element, e.g., a heat pipe, constructed of a material having high thermal conductivity, is thermally coupled at one end to the radiation source and at another end to a portion of the handle so as to transfer heat generated by the source to the handle. The portion of the handle to which the heat transfer element is coupled can have optionally a corrugated surface to facilitate heat transfer to the ambient environment, e.g., a user's hand.

With reference to FIG. 6, in another embodiment, a phototherapeutic oral appliance according to the teachings of the invention can include a heat transfer element 70 that transfers heat generated by a radiation source to a reservoir 72 in which a phase transfer material can be stored. The phase transfer material, for example, ice, wax, or other suitable materials, absorbs the heat to change its phase, for example, from liquid to gas or solid to liquid, thereby dissipating the heat. Preferably, the phase transfer material has a melting or evaporation temperature in the range of about 30 to 50°C.

Although the above discussed examples of heat transfer elements are made with reference to the light emitting toothbrush, one skilled in the art will appreciate that the heat transfer elements can be used in any of the oral appliances of the present invention.

5 In particular, these heat transfer elements can provide for the storage or transfer of heat from the radiation source in the light emitting mouthpiece to adjacent tissue, a handle, and/or the surrounding environment.

In some embodiments, the light emitting oral appliance can include a heater for heating a target portion of the oral cavity, for example, while therapeutic radiation is applied to the target portion. Thermal therapy is useful in some treatment regimens and provides an additive or symbiotic effect when combined with phototherapy. FIG. 7 shows electric heater 40 positioned within head portion 12 of a light-emitting toothbrush according to one embodiment of the invention. To facilitate heat transfer from the heater to adjacent tissue, head frame 38 can have a corrugated shape as shown in FIG. 8.

15 In some embodiments, heating is provided by a radiation source. In one aspect of the invention, the heater 40 is a radiation source that is distinct from the radiation source generating therapeutic radiation, e.g., radiation source 18. In another aspect, heating can be provided by the same radiation source utilized for providing therapeutic radiation. For example, in such an embodiment, the radiation source can generate broadband radiation, or radiation in two or more bandwidths, such that at least one bandwidth is suitable for heating the oral cavity tissue. Alternatively, multiple radiation sources can be used, at least one of which provides radiation in a suitable wavelength range for deep heating of tissue. Exemplary deep heating radiation includes radiation having a wavelength in the range of about 0.38 to about 0.6 microns or a range of about 0.8 to 100 microns. One skilled in the art will appreciate that a variety of electric and non-electric heaters can be used with the oral appliances of the present invention.

20 Depending on the desired treatment regimen, the optical radiation delivered from the oral appliance of the present invention can be selectively directed to different regions of the oral cavity. FIGS. 9 – 16 illustrate various embodiments of a light emitting toothbrush according to the teachings of the invention for selectively treating different tissue areas. FIG. 9 illustrates a unidirectional embodiment in which the optical radiation generated by a radiation source is directed substantially in the same area as a plurality of bristles which are touching tissue, e.g., through the bristles themselves. In

- 14 -

use, the radiation will be directed primarily toward hard tissue, e.g., a user's teeth. Alternatively, FIG. 10 shows an embodiment where the optical radiation is directed away from the direction of the bristles to illuminate primarily soft tissue, such as facial tissue, e.g., tissue within the cheek. FIG. 11 illustrates another embodiment of a light-emitting toothbrush according to the invention having a light source for directing optical energy radiating from the front of the device, e.g., in a direction substantially perpendicular to the bristles, into selected portions of a user's optical cavity. This embodiment is particularly suited for selectively irradiating the soft tissue of a user's throat region.

In one aspect of the invention, at least a portion of the radiation is emitted in a direction other than towards the hard tissue of teeth. This can be accomplished with the light emitting toothbrush of the present invention by emitting radiation in a direction other than that represented by the cross sectional area defined by a circumference which surrounds the bristles or extensions thereof. FIG. 11A illustrates head portion 12 of a light emitting toothbrush with bristles 14. As shown, the circumference of the bristles defines an area 82 which can be extended outward from the bristles to create column 84. Preferably, optical radiation emitted by the light emitting toothbrush to treat primarily soft tissue does not intersect column 84.

In another embodiment, optical radiation can be directed in multiple directions from the same oral appliance (as shown by directional arrows 5 in the various FIGS). For example, a light-emitting toothbrush of the invention can include two groups of LEDs, as shown in FIG. 12, such that one group can radiate in a direction substantially parallel to the bristles, while the other group can radiate in the opposite direction. FIG. 13 illustrates the direction of the radiation leaving the device of FIG. 12.

FIG. 14 shows another multidirectional light emitting toothbrush with radiation leaving from either side of the device (bristles coming out of the page). FIG. 15 shows radiation directed toward the front and in the direction of the bristles. Finally, FIGS. 16 and 17 illustrate other aspects of the multidirectional light emitting toothbrush having radiation directed in more than two directions. FIG. 16 illustrates a three directional embodiment, while FIG. 17 shows a five directional light emitting toothbrush (front, both sides, top and bottom).

- 15 -

The illustrated examples of multidirectional light emitting oral appliances similarly applies to the light emitting mouthpiece of the present invention. As shown in FIGS. 3 and 4, optical radiation can be directed from body portion 26 of light emitting mouthpiece 24 toward various structures or tissue types within or surrounding the oral cavity. FIG. 18 shows a light emitting mouthpiece designed to direct radiation around the tongue. This embodiment is useful for treating diseases of the tongue, such as excessive bacterial growth. In another embodiment, light emitting mouthpiece 24 can be designed to treat tooth, gum, and/or cheek tissue. For example, FIG. 19 shows body portion 26 positioned between the teeth and cheek tissue. In this embodiment, optical energy is selectively directed toward cheek (wall of the oral cavity), gum, and tooth tissue. In yet a further embodiment, optical radiation from the light emitting mouthpiece can be directed toward the soft tissue beneath the tongue as shown in FIG. 20, or other parts of oral cavity to support, e.g., oral drug or vitamin delivery. A drug or vitamin 23 can be delivered to mucosa through opening 31, for example, in liquid form while the light source 18 directs radiation on the drug and mucosa. This radiation can be selected to increase permeability of the mucosa for enhanced uptake and penetration of the drug into the oral cavity tissue. Alternatively, or in addition, the radiation can activate the drug for better therapeutic effect. Such a method of drug delivery can be employed at a physician's office or at home.

The direction in which the optical radiation is emitted can be controlled in a variety of ways. In one embodiment, optical radiation source 18 can be disposed such that the radiation it produces travels toward the target tissue. This can be accomplished by positioning the optical radiation source at or near the surface of the oral appliance and placing the surface adjacent to the target tissue. In another embodiment, an optical element, e.g., a reflective or a refractive element, can be coupled to the radiation source for selectively directing radiation emitted by the source. The optical element can include, for example, rotatable mirrors, prisms, and/or diffusers, which direct the optical radiation toward target tissue. For example, with reference to FIGURE 20A, a light-emitting toothbrush 10 according to the one embodiment of the invention can include a radiation source 18 optically coupled to a rotatable mirror 11 that can direct radiation emitted by the source 18 either along a plurality of bristles 14, as indicated by an arrow 5a, or in a direction substantially opposite to the bristles, as indicated by an arrow 5b.

- 16 -

In addition to providing single or multidirectional optical radiation, the oral appliance of the present invention can supply single or multiple bands of optical radiation. For example, some treatment regimens may call for a single wavelength band such as a single blue color (central wavelength of 400- 430 nm), a single green color (central wavelength of 540-560 nm), a single red color (central wavelength 620-635, 660), or a NIR single color (central wavelength 800-810 nm). Alternatively, a combination of these or other distinct wavelength bands could be applied, including two, three, or more distinct bands of optical radiation. For example, two separate wavelength bands can be employed to treat the same conditions more effectively or to treat two different conditions.

Multiple distinct wavelength bands can be achieved in a variety of ways. In one aspect of the invention, a broad band radiation source is used with an optical element to filter out unwanted wavelengths. For example, a filter or filters can remove all wavelengths from a broad spectrum with the exception of those in the blue and red portions of the spectrum. In another aspect of the invention, multiple distinct bands can be achieved with multiple radiation sources, each source providing optical radiation in a desired band. And in yet another aspect, a single radiation source which produces multiple distinct bands can be used. As an example, a single LED can be used to produce two or more distinct wavelength bands. Fluorescence conversion of radiation energy can be employed for generating additional wavelengths. As another example, a diode pumped fiber laser can be used to generate two wavelengths, one corresponding to the diode laser pumping the fiber and the other corresponding to the fiber laser wavelength.

In some embodiments of the oral appliance, it may be desirable to change wavelength bands. This can be accomplished with the light emitting toothbrush of the present invention by using removable head portions. Each head portion can include a radiation source producing a light of a different wavelength. A user can then choose the desired wavelength band by selecting among removable head portions. Alternatively, the handle portion can include a broad band light source and the removable head portions can include filters to isolate desired wavelength bands.

- 17 -

As described above, various embodiments of the light-emitting toothbrush of the invention include bristles for performing functions that include, but are not limited to, mechanical cleaning of hard and soft tissue, massage, blood circulation activation, compression of soft tissue for improved light penetration, and improved light delivery. For example, FIG. 21, which is a cut-away side view of head portion 12 of a light emitting toothbrush of the invention, shows a plurality of bristles 14 coupled to head portion 12 that are preferably constructed of a material substantially transparent to radiation within at least one of the bandwidths produced by radiation source 18. In addition, bristles 14 can preferably help direct optical energy and/or facilitate transfer of the optical radiation to tissue, preferably with minimal loss. Providing minimal loss in coupling energy generated by radiation sources into the oral cavity tissue advantageously enhances utilization efficiency of the radiation sources and minimizes costs associated with operating the light emitting toothbrushes and mouthpieces of the invention.

FIG. 22 shows a bristle, herein also referred to as 'active bristle', having an elongate body 48 formed of a transparent material, which is mated at a proximal end 49 with the radiation source 18, such as LED or diode laser, substrate 50, and optical reflective elements 52. The direct optical coupling of the bristle with the radiation source 18, for example, via an optical glue or other suitable mechanism, advantageously enhances coupling of radiation into the bristle, which can in turn function as a waveguide for transferring the radiation to its distal end 62 for delivery to the user's oral cavity. The reflective optical elements 52, for example, mirrors, direct light emitted in directions other than that of the bristle into the bristle, thereby enhancing optical coupling of the bristle to the light source. For example, the reflective element 52 can be used for coupling edge emitting radiation from LED into the bristle. In one embodiment, substrate 50 and optical elements 52 direct optical energy by way of their highly reflective surface. This design advantageously maximizes extraction of light from LED and its delivery to oral cavity tissue.

In one embodiment, each bristle can be optically coupled to radiation source 18, and in a further embodiment, each bristle can be coupled to an individual LED. For example, each bristle can be in substantial register with a single radiation source 18

- 18 -

(FIG. 22). To facilitate such mating, bristle 14 can be shaped at its proximal end 49 for receiving an emitting surface of the radiation source 18.

5 In some embodiments, bristle 14 acts as a waveguide for directing radiation from a radiation source to a portion of a user's oral cavity. For example, FIG. 23 schematically illustrates a bristle having a highly refractive core 54 and a low refractive cladding 56. Optical radiation is directed through the core 54 and is contained by the cladding 56. When the optical energy reaches the open bristle tip 58, the radiation is released. This embodiment allows radiation to be directed to tissue in contact with
10 bristle tip 58. To further assist with transfer of the optical radiation to tissue, the refractive index of the bristle tip and target tissue can be matched. For example, because of the difference between the refractive index of air and the bristle, the bristle 14 can mostly contain the optical radiation by internal reflection. Only when the bristle touches tissue, is there an increase in the amount of optical radiation released.

15 In some embodiments of the invention, the bristles are shaped so as to allow controlled leakage of radiation at selected points. For example, FIG. 24 illustrates another embodiment of bristle 14 in the form of an optical loop. Both ends of the loop are connected to an optical radiation source 18. Light is generally contained within the loop except for at the bend where the disturbed complete or almost complete internal
20 reflection effect allows light leakage. The bend can be positioned in a target tissue area to deliver optical radiation. Such bristles also enhance eye safety characteristics of the device because they can ensure that light is emitted only at selection portions, e.g., portions in contact with oral cavity tissue. Such an active bristle, which allows extraction of light through complete internal reflection into tissue in contact therewith, can be
25 particularly useful for high power light emitting tooth brushes when eye safety is of special concern. A light emitting toothbrush of the invention can hence include a bundle of bristles formed of active bristles described above.

30 The bristle can have other shapes which facilitate controlled leakage of optical radiation. FIG. 25 shows a spiral bristle which allows light leakage 60 at the points with maximum curvature. FIG. 26 illustrates a conical type bristle extending from a base to a smaller tip 62 with a controlled tip angle. As a radiation ray traverses the bristle from the base towards the tip, its angle of incidence at the interface of the bristle and the

- 19 -

surrounding environment increases such that at certain points, such as points 60a, 60b, 60c, and 60d, radiation leaks out of the bristle.

In another embodiment, it may be desirable to release the optical energy in a dispersed pattern and reduce the formation of hot spots by doping the bristles, or improving emission spectra of the radiation sources. For example, the bristles can include a fluorescent material dispersed therein, which will fluoresce when exposed to optical radiation. Alternatively, a lasing material can be used to dope the bristles, such as a dye.

The body of the light emitting mouthpiece of the present invention can also be designed to so as to allow controlled leakage or dispersal of radiation based on the concepts described with respect to the bristle. For example, light can be contained within mouthpiece body 26 except for at select points and/or the body can include light dispersing material.

An oral appliance of the present invention can additionally include sensors for monitoring treatment and/or diagnosing conditions within the oral cavity. FIGS. 27A and 27B show a cut-away side view and a bottom view, respectively, of a head of a diagnostic light emitting toothbrush containing one or more fluorescence detection modules 42. Each module preferably contains an optical filter and a photosensitive microchip which can be connected to an electronic detection system. The fluorescence signal detected by the detection modules can provide information about the concentration of bacteria in a periodontal packet, hard tissue (carious lesion), saliva or mycosis, as well as, information about teeth whitening and brightening. An additional fluorescence signal can be employed for early diagnostic of different mucosal diseases including cancer. In one embodiment, the oral appliance can include a signal mechanism for indicating to a user when a treatment is complete or a condition has been detected based on the fluorescence signal. In another embodiment, a reflectometer can be incorporated in a LETB or LEMP of the invention. For example, photo-induced current through LED can be utilized for reflected light detection. In other embodiments, separate LED and photodetectors can be employed for measuring reflections at different wavelengths. Reflections can be employed for diagnostic of caries, whitening, brightening of hard tissue and/or mucosa diseases. In other embodiments, the light from

- 20 -

LETB or LEMP can be employed for translucence diagnostic of caries of front teeth. Wavelengths in a range of about 450 to about 800 nm can be used for this purpose.

5 Sensors can also provide the user with a variety of other information, such as, sensing and alerting a user when a treatment session is complete, when the oral appliance is properly positioned, when the oral appliance is in contact with tissue, and/or if the temperature in the treatment area rises above a predetermined level. Sensors can also be used with a controller to provide autofeedback control of a treatment session(s). In one exemplary embodiment, a controller is coupled with a diagnostic sensor to
10 control the radiation source based on signals from the sensor. In another optional embodiment, a controller could be combined with a sensor to emit radiation only when the oral appliance is in contact with tissue.

FIGS. 27A and 27B illustrate controller 43 disposed in the light emitting toothbrush of the present invention. A person skilled in the art will appreciate that a
15 variety of controllers such as, for example, microswitches, microprocessor, and other analog or digital devices can be used to regulate the various features and treatment parameters of the light emitting oral appliance.

In another embodiment, the oral appliance of the present invention can include various features to assist with treatment. For example, the light emitting toothbrush or
20 light emitting mouthpiece can include vibrating mechanisms, such as mechanical or ultrasonic vibrators, to assist with mechanical cleaning. FIG. 28 illustrates a light emitting toothbrush with a mechanical vibrator 44. The vibrations generated by the vibrator can be employed not only for better tooth cleaning but also for enhancing phototherapy. For example, the vibrations can increase light penetration into soft tissue and/or increase the effect of light treatment on cells and/or bacteria. One mechanism of
25 such enhancements is better oxygen delivery to a phototreated target. FIG. 29 shows a light emitting toothbrush with an additional component 46 for creating an electrical field, magnetic field, chemical realize, and/or low level non stable isotope radiation. Component 46 can be an electrically charged element, magnet, chemical container, isotope container etc.
30

In yet another embodiment, the present invention can include reflective surfaces to more efficiently deliver radiation to tissue. When radiation is delivered to a target area, some of the radiation can be reflected by the tissue surface resulting in lost

- 21 -

radiation. To save this reflected energy, the oral appliance of the present invention can include a highly reflective surface which will return at least a portion of the reflected radiation to the tissue. For example, the light emitting toothbrush pictured in FIG. 1 includes a reflective surface 20 for increasing radiation delivery efficiency. The tissue facing surfaces of the light emitting mouthpiece can similarly be reflective.

The oral appliance of the present invention can include a power supply 32 (FIG. 28) for driving the light source and/or other components which may include a disposable battery, a rechargeable battery, and/or a solar battery in combination with a capacitor. Alternatively, the power can be partially or completely derived from the motion of the oral appliance. For example, FIG. 30 illustrates a light emitting toothbrush having a magnetic rod 33 movably disposed inside a coil 35. The back and forth motion of the light emitting toothbrush during brushing can generate electrical energy for supplying the electrical demands of the light source, other components, and/or a rechargeable battery.

An oral appliance according to the teachings of the invention can be employed for application of single-wise and/or multi-wise treatment procedures, e.g., twice per day for a few weeks or a month. The oral appliance of the present invention can be used with a variety of treatment agents, such as chromophores and optical couplers, to improve effectiveness. These agents can be part of an oral appliance system comprising a treatment agent for applying to the oral cavity and an oral appliance such as a light emitting toothbrush or a light emitting mouthpiece. In one embodiment, the treatment agent is applied to the oral cavity in the form of a paste, film, liquid rinse, spray, or combination thereof.

Chromophores (or photosensitizers) are useful as treatment agents for enhancing photodynamic and photothermal killing of microorganisms, as well as, tooth whitening and brightening. Chromophores include intrinsic light acceptors which induce and/or enhance chain-wise photochemical reactions leading to the generation of nitrogen oxide, singlet oxygen, and other radicals within tissue. Preferred chromophores include those which are nontoxic (i.e., those chromophores which can be provided at a concentration below which there is no action on bacteria or tissue without specific light). Exemplary exogenous chromophores for use in the present invention include dyes: methylene blue, indocyanine green, ALA- an inductor of porphyrins in proliferating cells-, mineral

- 22 -

photocatalysts and photosensitizers: TiO₂, nanoparticles, fullerenes, tubulene, carbon black, and other similar treatment agents.

5 Endogenous chromophores are also present within the oral cavity and the surrounding tissue. These chromophores are naturally occurring substances which provide similar radical production to the exogenous species described above when exposed to optical radiation in their absorption band. Exemplary intrinsic chromophores include porphyrines like protoporphyrins, coproporphyrins, and Zn-protoporphyrins. The absorption band for porphyrins includes blue light, and to a lesser extent, green light
10 and red light. Other intrinsic chromophores include cytochromes such as cytochrome and cytoporphyrin, bilirubin, and molecular oxygen.

Another treatment agent which can be used with the present invention is an optical coupling agent. These compounds provide increased optical access into underlying tissue by reducing the amount of light scattering at the tissue surface.
15 Exemplary optical coupling agents include glycerol; glucose; propylene glycol; polyethylene glycol; polyethylene glycol; x-ray contrasting agents (Trazograph-60, Trazograph-76, Verografin-60, Verografin-76, and Hypaque-60); proteins (hemoglobin, albumin); and combinations thereof. The optical coupling agents can also be used with additives such as ethanol and water (e.g., ethanol, glycerol and water). FIG. 31
20 illustrates a considerable reduction of backscattering (increasing of optical transmittance) of scleral tissue measured in vivo for a rabbit eye at administration of glucose solution by dropping. Due to similar structure of gingival tissue, the same optical coupling can be achieved in a few minutes (2-3 min) in a process of tooth cleaning using toothpaste containing an optical coupling agent. Some coupling agents,
25 their refractive indices, and pH values are presented in FIG. 32. It is seen from FIG. 32 that the application of some optical coupling agents, besides effective reduction of scattering, can normalize pH within the oral cavity (6.5-6.9) and therefore minimize gingival and gum swelling.

Additional treatment agents may further include desensitizing agents (e.g.,
30 sodium citrate and potassium nitrate); gelling agents (e.g., sodium chloride and glycerol), sticky matrix materials (e.g., CARBOPPOL 974 NF); and conventional toothpastes. Materials which stabilize or adjust pH levels within the oral cavity may also be added as a treatment agent.

The oral appliance of the present invention can be used for a variety of photodynamic and phototherapeutic treatments in and around the oral cavity. These treatments are based on several biophysical phenomena that result from delivering light energy in the range of about 280 to 3000 nm with power densities in the range of about 1 to 10000 mW/cm² and are collectively referred to as biostimulation. In a preferred embodiment, biostimulation is effected with an energy flux in the range of about 1 J/cm² to 1000 J/cm², and in an even more preferred embodiment in the range of about 10 J/cm² to 100 J/cm².

Biostimulation can include, for example, increase in blood and lymph microcirculation of gingiva, tongue, salivary glands and ducts, tonsils, vocal cords, lips, cheeks, perioral facial skin, and other tissue due to light absorption by endogenous porphyrins, cytochroms, and tissue molecular oxygen. The light absorption can induce photo stimulated nitric oxide (NO) which causes dilatation of blood and/or lymph vessels and can also induce Ca²⁺ storage in cell mitochondria and activation of Ca²⁺-dependent ATPase in vascular smooth muscle cells which causes photo attenuated sympathetic vasomotor nerve activity. These processes activate a tissue drainage function; endothelium cells and endothelial leukocytes proliferative potency; and the formation of a new capillary net that helps regeneration of oral cavity epithelium, gingival tissue, neural tissue, skin collagen, and other tissue. In addition, the combined action of light therapy with heating can also cause activation of blood and lymph microcirculation of above mentioned tissues and glands.

Other effects include activation of blood microcirculation in tooth pulp due to light concentration in the tooth pulp caused by waveguide light propagation through enamel and dentin, and a corresponding increase in calcium ion flux from pulp to enamel through the protein matrix, which assists calcium ions to fill vacancies in the hydroxyapatite structure.

Biostimulation can also include an increase in local (oral and surrounding tissues) macrophage activity and fibroblast, osteoblast, and odontoblast proliferation. This can result in epithelium, collagen, nerve tissue, and hard tooth tissue regeneration. An additional important benefit can also be the killing of bacteria, fungi, and viruses. This effect is induced by light action on endogenous porphyrins, molecular oxygen, incorporated exogenous dyes, mineral photosensitizers, and/or mineral photocatalysts.

Another desirable effect is the normalization of oral cavity pH caused by bacteria activity.reduction and oral lesions (stomatitis) healing which leads to decrease in oral tissue swelling and in osmotic pressure.

5 The systemic beneficial (biostimulation) effect can also provide improved immunocompetence via blood and lymph irradiation. In particular, biostimulation can cause light improved immunocompetence of blood and lymph macrophages, which produce superoxide and nitric oxide; erythrocyte membrane elasticity; and lymphocyte proliferation activity. Other whole body effects can include light-induced control of
10 human circadian rhythms.

 The oral appliances of the present invention can be used for a variety of other therapeutic treatments which include directly radiating areas of the oral cavity with optical radiation. Both the light emitting toothbrush and the light emitting mouthpiece can be used to radiate hard and/or soft tissue in the oral cavity with or without additional
15 treatment steps such as heating, vibrating, and applying treatment agents such as chromophores and optical coupling agents.

 In one embodiment the light emitting toothbrush and/or the light emitting mouthpiece can be used to treat dental problems such as gum bleeding, tooth hypersensitivity, tooth pain, bone problems, enamel degeneration, caries, root canal
20 inflammation, and periodontal problems by radiating hard and/or soft oral tissue. The therapy can include directly radiating the problem area, and in some cases using heat or chromophores to assist with treatment.

 As a further feature of the invention, the oral appliances can use multiple distinct wavelength bands as part of the therapy because multiple bands can provide, in some
25 circumstances, a greater overall effectiveness. For example, while blue light is very effective at porphyrin excitation, the penetration depth of blue light is not high due to blood absorption and light scattering by biological tissue. By combining blue light with other wavelength bands, such as green and red which can more easily penetrate tissue, but which have less of a porphyrin exciting effect, the overall treatment can be made
30 more effective. Multiple wavelength bands can also be used to excite different substances and produce biostimulation from several sources. In one embodiment, blue and green light can be used to stimulate porphyrins (400-430 nm) while redlight (e.g., 630 nm) and/or NIR (e.g., 1060 nm or 1268 nm) can be used to photoactivate molecular

oxygen. In some cases, this results in a more effective overall treatment by relying on several therapeutic treatments providing a synergistic effect.

5 The oral appliances of the present invention also have an advantage because they can be used repeatedly at a low dose. Unlike high powered treatments which are performed a minimal number of times, the present invention can be used as part of the usual personal care regimen. The result is an overall dose which is effective to provide treatment, but which does not require the time and expense of visiting a doctor or dentist.

10 Therefore, the phototherapies provided by the oral appliances of the present invention can provide recovery and/or prophylaxes from a number of abnormalities and diseases. More specifically, the term "phototherapy" as used herein is intended to encompass both the treatment of abnormalities and also improvement of the user's physiology. Such beneficial improvements can further encompass both health and
15 cosmetic improvements, as discussed below:

Dental

Reduction of gum bleeding. Gum bleeding is mostly caused by a poor proliferation of epithelial cells and other connective tissues. The oral appliances of the
20 present invention can provide light irradiation and soft heating to activate increased fibroblast proliferation, causing regeneration of epithelium, collagen, and other connective tissue that helps stop gum bleeding. Light acceptors include endogenous porphyrins, cytochromes, and molecular oxygen and therefore irradiation of oral mucus and underlining tissue at power density of 1-1000 mW/cm² and daily doses of 0.06-30
25 J/cm² at the wavelengths corresponding to porphyrins, cytochromes, and molecular oxygen are preferred. Blue light (400-430 nm) is very effective for porphyrin excitation; green light (540-580 nm) and red light (600-650 nm) are also capable of activating porphyrins. In particular, coproporphyrins can be excited at the wavelengths: 402±20 (extinction at maximum ≈480), 4950±20, 540±30 (extinction at maximum ≈17), 580±30
30 (extinction at maximum ≈6), 623±20 nm; and cytochromes: cytochrome (the prosthetic group of cytochromoxidase) at 414±20 (extinction at maximum ≈70), 439±20 (extinction at maximum ≈ 117), 446±20 (extinction at maximum ≈10), 534±20

(extinction at maximum ≈ 11), 598 ± 20 (extinction at maximum ≈ 16), 635 ± 20 nm (extinction at maximum ≈ 9), and cytoporphyrin at 415 ± 20 (extinction at maximum ≈ 160), 520 ± 20 (extinction at maximum ≈ 9), 560 ± 20 (extinction ≈ 21), 580 ± 20 (extinction at maximum ≈ 11), 617 ± 20 , 646 ± 20 nm (extinction at maximum ≈ 1)).

Cytoporphyrin, which is found in bacteria, is very photosensitive. Protoporphyrin IX contained in bacteria and fungi can be excited at the wavelengths: 410 ± 20 (extinction at maximum ≈ 270), 504 ± 20 (extinction at maximum ≈ 15), 556 ± 20 (extinction at maximum ≈ 15), 600 ± 20 (extinction at maximum ≈ 6), 631 ± 20 nm (extinction at maximum ≈ 5)

Molecular oxygen can be photoactivated at the wavelengths 580 ± 20 , 630 ± 20 , 760 ± 20 , 1060 ± 20 , and 1268 ± 20 nm. Moderate hyperthermia provided by a heater up to 43°C during a tooth cleaning procedure of 0.5-3 min in duration is also desirable to provide a synergetic effect on blood and lymph microcirculation.

Reduction of tooth hypersensitivity. Tooth sensitivity results mostly from the increased movement of fluid through the dentinal tubes toward nerve endings in the tooth due to osmotic pressure induced by drink and/or saliva components. Tooth hypersensitivity depends on enamel porosity caused by temporal or permanent enamel demineralization induced by a low value of the oral liquid pH. At more acidic pH of the oral liquid (4.0-5.0), the enamel permeability increases 3-4-fold. Therefore, the process of enamel light-induced remineralization will assist in the reduction of tooth hypersensitivity. Bacteria killing will also lead to reduction of tooth hypersensitivity due to pH normalization and less gingival swelling and less osmotic pressure applied to hypersensitive tooth compounds. Therefore, irradiation of a tooth surface at a power density of $1\text{-}1000\text{ mW/cm}^2$ and a daily dose of $0.06\text{-}30\text{ J/cm}^2$ at wavelengths corresponding to porphyrins, cytochromes, and molecular oxygen are preferred. Blue light (400-430 nm) is very effective for bacterial porphyrin excitation; green light (530-580 nm) and red light (600-700 nm) are also capable of activating porphyrins in bacteria and killing them via radical generation. Green (540-580 nm) and red (600-650 nm) light are capable of activating tooth pulp porphyrins and increasing blood and lymph microcirculation in pulp, with a corresponding increase in calcium ion flux from pulp to enamel through the protein matrix, which assists calcium ions to fill vacancies in hydroxyapatite structure. Molecular oxygen dissolved in tissues and tooth pulp can be

photoactivated at the wavelengths 580 ± 20 , 630 ± 20 , 760 ± 20 , 1060 ± 20 , and 1268 ± 20 nm. Moderate hyperthermia provided by a heater can also provide a synergetic effect on blood and lymph microcirculation. More effective bacteria killing can be accomplished by exogenous chromophore application and irradiation at wavelengths corresponding to the chromophore; in particular, for Methylene Blue (MB) dye at concentration of 0.01-1.0%, irradiation at 660 ± 10 nm and power densities 5-1000 mW/cm²; or for Indocyanine Green (ICG) dye at concentration of 0.01-1.0%, irradiation at 805 ± 5 nm and power densities 5-1000 mW/cm².

Pain reduction in teeth is mostly due to improved pulpal blood and lymph microcirculation caused by dilatation of blood and/or lymph vessels induced by photo stimulated NO action on endothelial cells of vessel wall and by photo attenuated sympathetic vasomotor nerves activity. Direct light induced inhibition of nerve activity is also possible. Therefore, irradiation of a tooth surface at a power density of 1-1000 mW/cm² and a daily dose of 0.06-30 J/cm² at the wavelengths corresponding to porphyrins, cytochromes, and molecular oxygen are needed. Green (530-580 nm) and red light (600-650 nm) are capable of activating tooth pulp porphyrins and increasing blood and lymph microcirculation in pulp. Molecular oxygen dissolved in tissues and tooth pulp can be photoactivated at the wavelengths 580 ± 20 , 630 ± 20 , 760 ± 20 , 1060 ± 20 , and 1268 ± 20 nm. Moderate hyperthermia provided by an electrical heater (or LED radiation heating) up to 43 °C during a tooth cleaning procedure of 0.5-3 min in duration is desirable to get a synergetic effect on blood and lymph microcirculation.

Periodontal and bone regeneration and implant connection are mostly caused by increase in macrophage activity, in fibroblast, osteoblast, and odontoblast proliferation, induced by light and/or combined light and thermal action. Increased blood and lymph microcirculation also improves tissue growing and regeneration. Irradiation of teeth and periodontal tissue at power density of 1-1000 mW/cm² and daily dose of 0.06-30 J/cm² at the wavelengths corresponding to porphyrins, cytochromes, and molecular oxygen will produce radicals responsible for increased macrophage activity, increased fibroblast, osteoblast, and odontoblast proliferation, and increased blood and lymph microcirculation. Blue light (400-430 nm) is very effective for porphyrin excitation; green light (530-580 nm) and red light (600-650 nm) are also capable of activating porphyrins. Green (530-580 nm) and red light (600-650 nm) are capable of

activating tooth pulp porphyrins. Molecular oxygen can be photoactivated at the wavelengths 580 ± 20 , 630 ± 20 , 760 ± 20 , 1060 ± 20 , and 1268 ± 20 nm. Moderate hyperthermia provided by a special heater (or LED current heating) up to 43°C during a tooth cleaning procedure of 0.5-3 min in duration is desirable to obtain a synergetic effect in macrophage activity, in fibroblast, osteoblast, and odontoblast proliferation, and increased blood and lymph microcirculation.

Remineralization of enamel. Enamel demineralization is induced mostly by a low value of the oral liquid pH. Light and soft heating activates blood and lymph microcirculation of gingiva and therefore increases calcium ion flux from saliva to enamel through the protein matrix; ions of calcium fill vacancies in hydroxyapatite structure. Bacteria killing leads to pH normalization and therefore prevents enamel demineralization. Therefore, irradiation of a tooth surface at a power density of $1\text{-}1000\text{ mW/cm}^2$ and a daily dose of $0.06\text{-}30\text{ J/cm}^2$ at the wavelengths corresponding to porphyrins, cytochromes, and molecular oxygen are needed. Blue light ($400\text{-}430\text{ nm}$) is very effective for bacterial porphyrin excitation; green light ($530\text{-}580\text{ nm}$) and red light ($600\text{-}650\text{ nm}$) are also capable of activating porphyrins in bacteria and killing them via radical generation. Green ($530\text{-}580\text{ nm}$) and red light ($600\text{-}650\text{ nm}$) are capable of activating tooth pulp porphyrins and increasing blood and lymph microcirculation in pulp and a corresponding increase in calcium ion flux from pulp to enamel through the protein matrix, which assists calcium ions to fill vacancies in hydroxyapatite structure. Molecular oxygen dissolved in tissues and tooth pulp can be photoactivated at the wavelengths 580 ± 20 , 630 ± 20 , 760 ± 20 , 1060 ± 20 , and 1268 ± 20 nm. Moderate hyperthermia provided by a special heater (or LED current heating) up to 43°C during a tooth cleaning procedure of 0.5-3 min in duration is desirable to get a synergetic effect on blood and lymph microcirculation. Sonophoresis and/or electrophoresis will assist in increasing blood and lymph flow, and in smoother distribution of Ca and P elements within hard tooth tissue. More effective bacteria killing (if needed) can be achieved by exogenous chromophore application and irradiation at wavelengths corresponding to the chromophore; in particular, for Methylene Blue (MB) dye at concentration of 0.01-1.0%, irradiation at $660\pm 10\text{ nm}$ and power densities $5\text{-}100\text{ mW/cm}^2$; or for Indocyanine Green (ICG) dye at concentration of 0.01-1.0%, irradiation at $805\pm 5\text{ nm}$ and power densities $5\text{-}100\text{ mW/cm}^2$.

Prevention of caries, which is usually caused mostly by *Streptococcus mutans* bacteria. Thus, bacteria killing via photodynamic effect induced by light and endogenous porphyrins, and/or cytochromes, and/or molecular oxygen, and/or exogenous dyes, and/or mineral photosensitizers, and/or mineral photocatalysts incorporated in the oral cavity, is a technique for caries prevention and healing. Light and thermal induced blood and lymph microcirculation in pulp and gingiva and increased calcium flux from saliva to enamel also prevents caries. Therefore, irradiation of a tooth surface at a power density of 1-1000 mW/cm² and a daily dose of 0.06-30 J/cm² at the wavelengths corresponding to porphyrins, cytochromes, and molecular oxygen are needed. Blue light (400-430 nm) is very effective for bacterial porphyrin excitation; green light (530-580 nm) and red light (600-650 nm) are also capable of activating porphyrins in bacteria and killing them via radical generation. Green (540-580 nm) and red light (600-650 nm) are capable of activating tooth pulp porphyrins and increasing blood and lymph microcirculation in pulp and a corresponding increase in calcium ion flux from pulp to enamel through the protein matrix, which assists calcium ions to fill vacancies in hydroxyapatite structure. Molecular oxygen dissolved in tissues and tooth pulp can be photoactivated at the wavelengths 580±20, 630±20, 760±20, 1060±20, and 1268±20 nm. Moderate hyperthermia provided by a special heater (or LED current heating) up to 43 °C during a tooth cleaning procedure of 0.5-3 min in duration is desirable to get a synergetic effect on blood and lymph microcirculation. Sonophoresis, and/or electrophoresis will assist in increasing blood and lymph flow, and in smoother distribution of Ca and P elements within hard tooth tissue. More effective bacteria killing (if needed) can be achieved by exogenous chromophore application and irradiation at wavelengths corresponding to the chromophore; in particular, for Methylene Blue (MB) dye at concentration of 0.01-1.0%, irradiation at 660±10 nm and power densities 5-100 mW/cm²; or for Indocyanine Green (ICG) dye at concentration of 0.01-1.0%, irradiation at 805±5 nm and power densities 5-100 mW/cm². Very effective and nonspecific singlet oxygen and other radical production can be provided at broadband (300-900 nm) excitation of carbon nanoparticles or nanotubes, like carbon black, fullerene, or tubulene, and/or at application of a photocatalyst, like TiO₂ nanoparticles, in mixture with MB and/or ICG dyes.

Root canal sterilization and inflammation prevention also can be realized by photodynamic effect induced by light and endogenous porphyrins, in particular Protoporphyrin IX, and/or molecular oxygen, and/or exogenous dyes incorporated in tooth pulp via local blood and lymph microcirculation. Due to waveguide propagation, light is concentrated in the tooth pulp, and therefore enhances photodynamic efficiency and activates pulp blood and lymph microcirculation. Light also improves immunocompetence of macrophages, which produce SO and NO responsible for host defense against microorganisms. Therefore, irradiation of a tooth surface at a power density of 1-1000 mW/cm² and a daily dose of 0.06-30 J/cm² at the wavelengths corresponding to porphyrins, cytochromes, and molecular oxygen are needed. Green (540-580 nm) and red (600-650 nm) light are capable of activating tooth pulp porphyrins to produce radicals for bacteria killing, improvement of macrophage immunocompetence, and increased blood and lymph microcirculation in pulp. Molecular oxygen dissolved in tissues and tooth pulp can be photoactivated at the wavelengths 580±20, 630±20, 760±20, 1060±20, and 1268±20 nm. Moderate hyperthermia provided by a special heater (or LED current heating) up to 43 °C during a tooth cleaning procedure of 0.5-3 min in duration is desirable to get a synergetic effect on blood and lymph microcirculation. Sonophoresis and/or electrophoresis will assist in increase of blood and lymph flow. The light which penetrates to the root canal and apex area can prevent or decrease inflammation associated with bacteria growth.

Periodontal problem prevention and healing is also due to the lethal effect of light on bacteria via excitation of endogenous porphyrins, and/or molecular oxygen, and/or exogenous dyes, and/or mineral photosensitizers, and/or mineral photocatalysts incorporated in the periodontal lesions via production of active (singlet) oxygen and other radicals. Light also improves immunocompetence of macrophages, which produce SO and NO responsible for host defense against microorganisms. Light and soft heating activate blood and lymph microcirculation and therefore activate endotheliocytes proliferative potency and formation of new capillary net that helps to keep gingiva attached to the teeth. Therefore, light power densities, daily doses, and wavelengths are the same as used for prevention of caries (see, Prevention of caries).

Soft Tissue Treatments:

Another advantage of the oral appliances of the present invention is that they allow directional radiating. In some cases discussed below it is desirable to optically radiate primarily soft tissue such as tongue tissue, nerve tissue, throat tissue, vascular tissue, hair follicles, sebaceous follicles, sebaceous glands, facial subcutaneous fat, facial muscular tissue, lymph systems, collagen, pigmented spots, and/or other tissue including other facial tissue and other oral tissue. The oral appliances allow for directing radiation toward these tissue areas by choosing the direction in which the optical radiation is emitted. For example, to radiate facial tissue, the optical radiation source can be positioned on the outer perimeter of a light emitting toothbrush or a light emitting mouthpiece. Unlike conventional toothbrushes which only radiate in the direction of the bristle (toward the hard tissue of the teeth), the radiation provided by these appliances can be directed such that the emitted radiation penetrates the mucosal lining of the oral cavity to deliver phototherapy to a region within the user's soft facial tissue.

In addition, the oral appliances of the present invention allow certain conditions, which had in the past been treated from outside the oral cavity, to be treated by employing an optical radiation source from within the oral cavity. For example, instead of treating acne by radiating the effected skin, the oral appliances can directly radiate from within the oral cavity out toward the target tissue. This is advantageous because the tissue within the oral cavity is easier to penetrate due to the limited amount of collagen contained in the tissue walls of the oral cavity. As a result, optical energy more easily penetrates tissue to provide treatment at a lower level of energy and reduce the risk of tissue damage. Preferable range of wavelength for this type of treatment is in the range of about 280 nm to 1400 nm and even more preferably in the range of about 590 nm -1300 nm.

Improvement of oral mucus inflammatory disease (stomatitis - superficial erosions and fissuring at the angle of the mouth, an acute infection of the oral mucosa with vesicle formation, due to the herpes simplex virus, stomatitis with shallow ulcers on the cheeks, tongue, and lips) due to lethal effect of light on viruses and bacteria via excitation of endogenous porphyrins, and/or molecular oxygen, and/or exogenous dyes, and/or mineral photosensitizers, and/or mineral photocatalysts incorporated in the oral mucus lesions via production of active (singlet) oxygen and other radicals. Light also

improves immunocompetence of macrophages, which produce SO and NO responsible for host defense against microorganisms. Light and soft heating activate blood and lymph microcirculation and therefore activate epithelial cell proliferative potency. Light power densities, daily doses, and wavelengths are the same as used for prevention of caries (see, Prevention of caries).

Tongue diseases (black tongue - the presence of a brown fur-like patch on the dorsum of the tongue, composed of hypertrophied filiform papillae with microorganisms and some pigment; coated tongue - one covered with a whitish or yellowish layer consisting of desquamated epithelium, debris, bacteria, fungi, etc.) improvement due to lethal effect of light on microorganisms via excitation of endogenous porphyrins, and/or molecular oxygen, and/or exogenous dyes, and/or mineral photosensitizers, and/or mineral photocatalysts incorporated in the tongue lesions via production of active (singlet) oxygen and other radicals. Light also improves immunocompetence of macrophages, which produce SO and NO responsible for host defense against microorganisms. Light and soft heating activate blood and lymph microcirculation and therefore activate epithelial cell proliferative potency. Light power densities, daily doses, and wavelengths are the same as used for prevention of caries (see, Prevention of caries).

Recovery from inflammation of salivary glands and small sublingual ducts, which open into the mouth on the sublingual fold (ducts of Rivinus). The same mechanisms of recovery as for stomatitis and tongue lesions are expected. Light power densities, daily doses, and wavelengths are the same as used for prevention of caries (see, Prevention of caries).

Pain reduction in oral tissue results mostly from improved blood and lymph microcirculation caused by dilatation of blood and/or lymph vessels induced by photo stimulated NO action on endothelial cells of vessel wall and by photo attenuated sympathetic vasomotor nerves activity. Direct light induced inhibition of nerve activity is also possible. Light power densities, daily doses, and wavelengths are the same as used for dental pain reduction (see, Pain reduction in teeth).

Improvement of sore throat, angina, acute or chronic tonsillitis, etc. caused mostly by growth of *Staphylococcus aureus* bacteria (tonsillitis inflammation of tonsils, especially the palatine tonsils; follicular tonsillitis, tonsillitis especially affecting the

crypts; parenchymatous tonsillitis; acute tonsillitis, that affecting whole substance of the tonsil; pustular tonsillitis, a variety characterized by formation of pustules). Such improvement is due to lethal effect of light on bacteria via excitation of endogenous porphyrins, and/or molecular oxygen, and/or exogenous dyes, and/or mineral photosensitizers, and/or mineral photocatalysts incorporated in tonsil lesions via production of active (singlet) oxygen and other radicals. Light also improves immunocompetence of macrophages, which produce SO and NO responsible for host defense against microorganisms. Light and soft heating activate blood and lymph microcirculation and therefore activate epithelial cell proliferative potency. Light power densities, daily doses, and wavelengths are the same as used for prevention of caries (see, Dental, 6). ALA related treatment with low concentration of ALA, an inductor of porphyrins in proliferating cells, at 620-640 nm excitation can be used for suppression of abnormal proliferation of oral mucous epithelial cells, glands growing, microbial colonies within oral tissues (gingival, glands, tongue, throat, etc). In particular, treatment of pharyngomycosis can be provided.

Sinusitis caused mostly by *Streptococcus pneumoniae* bacteria. The same mechanisms of recovery as for angina and tonsillitis. Light power densities, daily doses, and wavelengths are the same as used for prevention of caries (see, Prevention of caries).

Recovery from laryngitis and other inflammations of the vocal cords. The same mechanisms of recovery as for angina, tonsillities, and sinusities. Light power densities, daily doses, and wavelengths are the same as used for prevention of caries (see, Prevention of caries).

Improvement of skin texture, elasticity, as well as wrinkle reduction (i.e., skin rejuvenation) around lips and cheeks via increased macrophage and fibroblast proliferation activities and new collagen production induced by light and/or combined light and thermal action. Increased blood and lymph microcirculation also improves tissue growth and regeneration. Light power densities, daily doses, and wavelengths are the same as used for periodontal and bone regeneration and implant connection (see, Periodontal and bone regeneration and implant connection).

Improvement of acne. Due to high penetration depth of red light, it is possible to provide needed irradiation dose to sebaceous glands through cheek tissues for a lethal light effect on acne causing bacteria concentrated within the sebaceous glands. The light excitation of bacteria porphyrins will generate active (singlet) oxygen and other radicals which selectively kill these bacteria. Therefore, irradiation of cheeks inside the oral cavity at a power density of 1-1000 mW/cm² and a daily dose of 0.06-30 J/cm² at the wavelengths corresponding to bacterial porphyrins is desirable. Green (530-580 nm) and red light (600-650 nm) can penetrate through cheek tissue and activate acne bacterial porphyrins to produce radicals which kill bacteria. The acne treatment efficiency can be enhanced by application of an appropriate photosensitizer (e.g., methylene blue, indocyanine green, ALA, etc) to the acne lesion in combination with utilizing red and/or NIR radiation.

Hair growth control can be provided by normalization of blood and lymph microcirculation within hair follicles by light, and/or combined light and thermal action. Irradiation of oral cavity tissues at a power density of 1-1000 mW/cm² and a daily dose of 0.06-30 J/cm² at the wavelengths corresponding to porphyrins, cytochromes, and molecular oxygen will produce radicals responsible for vessel dilatation and corresponding increase of blood and lymph microcirculation. Green (530-580 nm) and red light (600-650 nm) penetrate through cheek tissue and activate porphyrins and cytochromes. Molecular oxygen can be photoactivated at the wavelengths 580±20, 630±20, 760±20, 1060±20, and 1268±20 nm. Moderate hyperthermia provided by a special heater (or LED current heating) up to 43 °C during a tooth cleaning procedure of 0.5-3 min in duration is desirable to get a synergetic effect in increase of blood and lymph microcirculation. Hair growth control can, for example, includes hair removal or reduction by selective destruction of multiple hair follicles using a single or time-dependent sequence of radiation.

Vascular improvement can be associated with increased macrophage and fibroblast proliferation activities and new collagen and epithelium production induced by light and/or combined light and thermal action. Irradiation of oral cavity tissues at a power density of 1-1000 mW/cm² and a daily dose of 0.06-30 J/cm² at the wavelengths corresponding to porphyrins, cytochromes, and molecular oxygen will produce radicals responsible for increase in macrophage activity, fibroblast proliferation, and collagen

growth. Green (530-580 nm) and red light (600-650 nm) penetrate through cheek tissue and activate tissue porphyrins and cytochroms. Molecular oxygen can be photoactivated at the wavelengths 580 ± 20 , 630 ± 20 , 760 ± 20 , 1060 ± 20 , and 1268 ± 20 nm. Moderate
5 hyperthermia provided by a special heater (or LED current heating) up to 43°C during a procedure of 0.5-3 min in duration is desirable to get a synergetic effect in macrophage activity, fibroblast proliferation, and collagen growth.

Perioral dermatitis treatment is due to light improved immunocompetence of macrophages, and light activated blood and lymph microcirculation caused epidermal
10 cell proliferative potency. Irradiation of oral cavity tissue at a power density of $1\text{-}1000\text{ mW/cm}^2$ and a daily dose of $0.06\text{-}30\text{ J/cm}^2$ at the wavelengths corresponding to porphyrins, cytochromes, and molecular oxygen will produce radicals responsible for increased macrophage activity and increased blood and lymph microcirculation. Green
15 (530-580 nm) and red light (600-650 nm) penetrate through cheek tissue and activate porphyrins and cytochroms. Molecular oxygen can be photoactivated at the wavelengths 580 ± 20 , 630 ± 20 , 760 ± 20 , 1060 ± 20 , and 1268 ± 20 nm. Moderate hyperthermia provided by a special heater (or LED current heating) up to 43°C during a procedure of 0.5-3 min in duration is desirable to get a synergetic effect in macrophage activity and increase of blood and lymph microcirculation.

Repair of damaged trigeminal facial nerve peripheral receptors in the oral cavity tissues, including gingiva, teeth, lips, and tongue, and other nerves controlling oral tissue functioning, can be caused by Ca^{2+} storage in neural cell mitochondria and followed activation of Ca^{2+} -dependent ATPase in these cells. Increase of blood and lymph microcirculation induced by light and/or combined light and thermal action also
20 should be important for neural tissue regeneration. Light power densities, daily doses, and wavelengths are the same as used for perioral dermatitis treatment (see, perioral facial skin).

Pain reduction in oral tissue results mostly from improved blood and lymph microcirculation caused by dilatation of blood and/or lymph vessels induced by photo
30 stimulated NO action on endothelial cells of vessel wall and by photo attenuated sympathetic vasomotor nerve activity. Direct light induced inhibition of nerve activity is also possible. The following nerves may be involved in the process: buccal nerve which innervate oral mucosa and cheek skin at the mouth nook; inferior and superior alveolar

5 nerves which innervate teeth, periosteum and gingiva; glossopharyngeal, hypoglossal, and lingual nerves, which innervate gullet, tongue and chin-tongue muscles, and oral cavity bottom mucosa; inferior, recurrens, and superior laryngeal nerves which innervates gullet muscles and mucosa; masseteric nerve which innervates masticatory muscle. Light power densities, daily doses, and wavelengths are the same as used for dental pain reduction (see, Pain reduction in teeth).

Beneficial influence on human organism immunocompetence, in particular by light improved immunocompetence of blood and lymph macrophages, which produce superoxide and nitric oxide; erythrocytes membrane elasticity and lymphocyte proliferation activity. Light acceptors are endogenous porphyrins, cytochroms, and molecular oxygen. Therefore, irradiation of oral mucus and underlying tissue, well supplied by blood vessels, should be at power density of 1-1000 mW/cm², daily doses of 0.06-30 J/cm² and at the wavelengths corresponding to porphyrins, cytochromes, and molecular oxygen. Blue light (400-430 nm) is very effective for porphyrins excitation; green light (530-580 nm) and red light (600-650 nm) are also capable to activate porphyrins. In particular, coproporphyrins can be excited at the wavelengths: 402±20 (extinction at maximum ≈480), 495±20, 540±30 (extinction at maximum ≈17), 580±30 (extinction at maximum ≈6), 623±20 nm; and cytochroms: cytochrome at 414±20 (extinction at maximum ≈70), 430±20 (extinction at maximum ≈117), 446±20 (extinction maximum ≈10), 534±20 (extinction at maximum ≈11), 598±20 (extinction at maximum ≈16), 635±20 nm (extinction at maximum ≈9), and cytoporphyrin (porphyrin a) at 415±20 (extinction at maximum ≈160), 520±20 (extinction at maximum ≈9), 560±20 (extinction ≈21), 580±20 (extinction at maximum ≈11), 617±20, 646±20 nm (extinction at maximum ≈1). Protoporphyrin IX can be excited at the wavelengths: 410±20 (extinction at maximum ≈270), 504±20 (extinction at maximum ≈15), 556±20 (extinction at maximum ≈15), 600±20 (extinction at maximum ≈6), 631±20 nm (extinction at maximum ≈5) Molecular oxygen can be photoactivated at the wavelengths 580±20, 630±20, 760±20, 1060±20, and 1268±20 nm.

30 **Control of circadian rhythms.** Blue light at 470 nm affects the circadian rhythms of humans and might be applicable to anyone who has biological rhythms disorder. The possible light acceptors are blood bilirubin and/or coproporphyrins. Light

irradiation of oral mucus and underlining tissue, well supplied by blood vessels, is desirably at power density of $1-1000 \text{ mW/cm}^2$, one-day dose of $0.06-30 \text{ J/cm}^2$ and wavelengths corresponding to bilirubin absorption ($455 \pm 20 \text{ nm}$) and/or Coproporphyrins I and III absorption (402 ± 20 , 470 ± 20 , 540 ± 30 , 580 ± 30 , $623 \pm 20 \text{ nm}$). In some embodiments of the invention, a light-emitting toothbrush is provided that can be utilized to irradiate the user's oral cavity in the morning with radiation having a selected wavelength, e.g., blue light (or other biostimulating light), and to irradiate the oral cavity in the evening with radiation having another wavelength, e.g., red light (or light having a sedative effect), so as to help regulate the user's circadian cycle.

Controllable destruction of metabolic components of blood, in particular bilirubin, appearing in the blood stream due to normal or pathological decay of erythrocytes, allows for prevention of such diseases as bilirubinemia. Light irradiation of oral mucus and underlining tissue, well supplied by blood vessels at $450-460 \text{ nm}$ with power density of $1-1000 \text{ mW/cm}^2$ and one-day dose of $0.06-30 \text{ J/cm}^2$ is preferable.

Killing viruses within the blood microcirculatory system via photodynamic effect by topical application (e.g., to oral mucous) or intravenous injection of an appropriate photodynamic agent like ALA, hematoporphyrin, etc. Light irradiation of oral mucus and underlining tissue, well supplied by blood vessels, for this treatment should be preferably at a power density of $1-1000 \text{ mW/cm}^2$, one-day dose of $0.06-30 \text{ J/cm}^2$ and wavelengths corresponding to absorption spectra of the photodynamic agent which is used.. For ALA application, these wavelengths correspond to absorption bands of Protoporphyrin IX (409 ± 20 , 503 ± 20 , 538 ± 20 , 555 ± 20 , 576 ± 20 , 600 ± 20 , $632 \pm 20 \text{ nm}$); while for Hematoporphyrin derivatives (HPD) the wavelength is $620 \pm 20 \text{ nm}$.

Diseases of the lip can also be treated light and/or combined light and thermal action. Irradiation of oral cavity tissues at a power density of $1-1000 \text{ mW/cm}^2$ and a daily dose of $0.06-30 \text{ J/cm}^2$ at the wavelengths corresponding to porphyrins, cytochromes, and molecular oxygen will produce radicals responsible for increase in macrophage activity, fibroblast proliferation, and collagen growth. Green ($530-580 \text{ nm}$) and red light ($600-650 \text{ nm}$) penetrate through cheek tissue and activate tissue porphyrins and cytochromes. Molecular oxygen can be photoactivated at the wavelengths 580 ± 20 , 630 ± 20 , 760 ± 20 , 1060 ± 20 , and $1268 \pm 20 \text{ nm}$. Moderate hyperthermia provided by a special heater (or LED current heating) up to 43°C during a procedure of $0.5-3 \text{ min}$ in

- 38 -

duration is desirable to get a synergetic effect in macrophage activity, fibroblast proliferation, and collagen growth.

5 **Drug delivery.** Radiating soft tissue within the oral cavity, and particularly the area under the tongue, can improve the efficiency of drug delivery into the blood stream. The optical radiation creates NO species which in turn causes blood vessel to dilate and can thereby increase the absorption rate and efficiency of pharmaceutical agents placed on the tissue surface. In one embodiment a drug is placed under the tongue and optical radiation is directed toward the adjacent soft tissue. Another more complex drug
10 delivery involves *in situ* activation of chemical therapeutic components, which in an inactive state can readily diffuse into the oral cavity tissue, by radiation. For example, such agents in an inactive form can be administered to a patient's oral cavity tissue followed by activation via irradiation at a selected wavelength.

15 Another use for the oral appliances of the present invention is tooth whitening and brightening. All current tooth whitening technologies are based on chemical bleaching effects of peroxides. Tooth color is defined by its structure and optical properties of acquired pellicle, enamel, dentin. All these components are generally responsible for presenting a stained appearance. FIG. 33 shows exemplary light distribution within a tooth. Note that over 30% of the light reaches the dentine and over
20 30% of the light reaches the tooth pulp. Cosmetic appearance of the tooth depends on reflection from enamel and dentine. Extrinsic and/or intrinsic staining results in tooth color. Usually, compounds such as tannins, other food pigments, and poly-phenolic components of smoke which become trapped in and tightly bounded to the proteinaceous layer on the surface of the teeth cause extrinsic staining of the acquired
25 pellicle, and typically can be removed mechanically using a toothbrush. Natural color of a tooth is determined by the light scattering and absorption properties of dentine and enamel-dentine junction. With aging, many proteins, including collagen, contained in dentin become more yellowish due to changes in molecular structure. Such age-dependent coloration is an example of intrinsic coloration. For heavy smokers, coffee
30 drinkers and red wine drinkers, food colorants may penetrate in tooth depth, in enamel and even dentin, and therefore could not be removed by mechanical cleaning, and should be considered as intrinsic. Some systematic lesions caused by a surplus of fluorine in drinking water or by prolonged usage of tetracycline are other examples of intrinsic

- 39 -

colorants. To bleach intrinsic tooth stains, chemical methods, based on oxidation or enzymes application are usually used.

5 Use of optical radiation from the oral appliances of the present invention can provide effective tooth whitening and brightening. An additional benefit from using a light emitting toothbrush can be concurrent prophylaxis and/or treatment in the user's home of periodontal disease, caries and other oral diseases, which are based mostly on effective bacteria killing and lesion healing.

10 The oral appliance can provide optical teeth whitening and brightening based on the following exemplary mechanisms of color centers bleaching in enamel and dentin; 1) short wavelength (300 – 500 nm) direct photobleaching; 2) wavelengths in the range 960 ± 20 nm, and/or 1200 – 12000 nm, more preferably 1450 ± 150 nm, and/or 1890 ± 250 nm and/or 2400 – 3200 nm; 9000-12000 nm are used for photo thermal bleaching; and 3) direct photo and photochemical production of singlet oxygen within enamel and
15 dentin using light absorption by oxygen in tissue at 580 ± 20 , 630 ± 20 , 760 ± 20 , 1060 ± 20 , and 1268 ± 20 nm, and/or light absorption at selective wavelengths in the range 300 – 900 nm corresponding to absorption bands of a photosensitizer due to a photodynamic effect upon endogenous and/or externally applied photosensitizers and/or photocatalysts (FDA approved dyes, and/or carbon black (graft copolymers), fullerenes
20 (carbon nanoparticles), and/or tubulenes (carbon nanotubes), and/or TiO_2 nanoparticles).

FIG. 34 illustrates tooth structure and light paths within enamel and dentine due to the waveguide effect of enamel prisms and dentinal tubes. In one aspect, the present invention takes advantage of this effect to direct radiation deep into the tooth to treat intrinsic stains in the dentine structure and the pulp. In some embodiments, an oral
25 appliance of the present invention optically radiates stains within the dentine. One of the main advantage of this invention is the possibility to produce active radicals like singlet oxygen not only on the tooth surface, but also depth in hard tissue (enamel and dentin), and therefore effectively bleach intrinsic colorants. The waveguiding (photonic crystal) structure of dentin gives the possibility to concentrate light within narrow dentin tubules
30 (1-5 μm in diameter) filled by water and odontoblast surrounded by organic (collagen) materials. The specific feature of this invention to bleach bulky light absorbers provides not only tooth whitening, but also tooth brightening due to a decrease in bulk absorption of light and an increase in back scattering. Photobiostimulation can also be employed to

- 40 -

cause new dentine growth by radiation targeting of odontoplast and pulp, thereby enhancing cosmetic appearance of deep tooth structure. Further, utilizing low dose radiation every day can cause tooth rejuvenation.

5 In another embodiment, the optical appliance of the present invention is used to irradiate teeth so as to reduce staining within the dentine and the enamel; the teeth are thereby whitened and brightened. In one embodiment, teeth are optically radiated with radiation in the wavelength band between approximately 300 and 1350 nm. The oral appliance can also include a mechanical vibrator for better cleaning, and/or electrodes
10 for electrophoresis of the photosensitizer. In addition, a photodetector and a microchip for detection of reflected and/or fluorescent light from enamel can be used to monitor tooth color.

Heating with electrical heaters or with radiation in the wavelength range above about 800 nm to about 100000 nm (100 microns) can be used to facilitate whitening and
15 brightening. The use of optical radiation is particularly advantageous because it allow for deep, selective heating. By choosing an appropriate wavelength, the tooth can be heated to a predetermined depth and color centers can be destroyed and removed from enamel due to thermally induce bleaching and diffusion. The stain will diffuse out of the tooth and can be dissolved in saliva or saline (if present). Preferred wavelength
20 ranges include 960 ± 20 nm, and/or 1200 – 100000 nm; more preferably 1450 ± 150 nm, and/or 1890 ± 250 nm and/or 2400 – 3200 nm.

The oral appliances of the present invention can also directly photobleach teeth using only intrinsic light absorbers. Alternatively, the exogenous chromophores discussed above can be use to improve the effectiveness of tooth whitening and
25 brightening. The chromophores (and other treatment agents) can be applied to teeth and then the teeth irradiated.

Direct experimental modeling has been done of the efficiency of MB and red light irradiation for bleaching of foreign pigments caused by tea, coffee, or red wine action. As a suitable model, acrylic plastic material used for denture prosthesis was
30 chosen. Slabs of 3 mm in thickness were used. Staining of slabs was performed via dropping of tea, coffee, or red wine, and followed natural drying of the sample for 1-2 hours. It was important for photobleaching that the sample should be not be absolutely dry, some wetness should remain.

A simpler model providing a quick preparation period was based on usage of a high quality white paper. For such model, a few drops of a solution of tea, coffee, or red wine for a few minutes of application were enough. After preparation of the described experimental models of stained tooth, photobleaching experiments were done. First, the stained samples were impregnated by a 1 % MB dye water solution during a few minutes. The back reflectance spectra of such samples were measured in the range from 400 to 800 nm using a fiber optic CCD grating spectrometer LESA-7. These spectra served as a baseline for photobleached samples. Photobleached samples were received at irradiation during 10 min by a He-Ne laser (633 nm) providing power density of 20 mW/cm².

Results for coffee stains are shown in FIGS. 35 and 36. Spectrum received before irradiation shows absorption bands of coffee with maximum at 450 nm and MB with two maximums around 650 nm. After 10 minutes of laser irradiation, the spectrum is dramatically changed. Due to photobleaching of both chromophores, and thus much less absorption by coffee extract and MB, the spectrum becomes smooth with about twice higher reflection (scattering) in the visible range. Therefore, whitening and brightening of the sample occurred.

The differential apparent optical density spectra presented in FIG. 36 allows one to evaluate photobleaching efficiency, which is much greater for the absorption bands of coffee extract and MB. The negative values imply that reflectance of the model increases under irradiation.

It should be noted that for all tested food pigments (coffee, tea, and red wine) similar results were received. The white paper model also works well and can be recommended for the fast testing of photosensitizer activity to bleach a target stain of different origin.

In another embodiment, dentine stains can be selectively photobleached by direct optical radiation within the absorption range of the stain. Unlike conventional tooth whitening, the present invention allows a user to use select wavelength ranges centered around the absorption spectrum of the stain, which can be in a range of about 280 to about 800 nm. The result is whitening and brightening with a very specific wavelength band.

With reference to FIG. 37, in another aspect, the invention provides a tooth-whitening strip 76 formed as a flexible thin film 78 that incorporates at least one chromophore 80, which can be activated by radiation of suitable wavelength. The thin film 78 is sufficiently flexible to allow its placement over a subject's teeth, and can preferably include adhesives known in the art to facilitate its in contact with the teeth during a treatment session. The thin film 78, which can be formed by employing material known in the art, can have a thickness in a range of about 20 to about 1500 microns, and more preferably, in a range of about 50 to about 1000 microns. In some embodiments, the thin film is a polymeric matrix, e.g., a matrix of ethylene oxide, that can optionally include a plasticizer, e.g., propylene glycol or polyethylene glycol. The chromophore 80, which is preferably a non-peroxide chromophore, can be, for example, any of the chromophores described above for tooth whitening. The chromophore 80 can be incorporated in the thin film 78 in a variety of different ways. For example, it can be dispersed within the polymeric matrix of the film, or be disposed as a thin layer over a film's surface.

In another aspect of the invention, biostimulating and/or dental phototherapies are disclosed for conditions that are normally responsive to a known power density of phototherapeutic radiation (1-10 treatments spaced 1-30 days). However, in the present invention a series of temporally spaced treatment sessions are delivered to a patient, where each session provides a power density of therapeutic radiation lower than typical power density needed to treat the condition according to the conventional protocols. The method can comprise the steps of selecting a condition normally responsive to oral application of a known power density of phototherapeutic radiation, and delivering a series of temporally spaced treatment sessions to a patient. Each session provides a power density of therapeutic radiation lower than the typical power density needed to treat the patient condition. The series of temporally spaced treatment sessions can be continued until the patient's condition is ameliorated by a cumulative effect of the series of treatment sessions. The power density applied to the patient's skin surface is between approximately 1 mW/cm² and approximately 100 W/cm², and depends at least on the condition being treated and the wavelength of the radiation. Preferably, the energy at the tooth or mucosal surface is between 10 mW/cm² and 10 W/cm². The radiation can be applied for a duration of one second to one hour. Energy flux can be in the range of

about 1 J/cm^2 to 1000 J/cm^2 , and preferably in the range of about 10 J/cm^2 to 100 J/cm^2 . In many embodiments, an emitting area of an LETM or LEMP can be in a range of about 0.1 to about 100 cm^2 and the power delivered is in a range of about 1 mW to about 10 W , and preferably in a range of about 10 mW to about 1 W . This power can be delivered by employing highly efficient light sources, such as those described above, with power supplies that can be as small as a batter, or wall plug power supplies.

A variety of manufacturing techniques can be employed for form a light-emitting appliance according to the teachings of the invention. For example, with reference to FIG. 38, the plurality of light-emitting sources 18 can be formed epitaxially over substrate 74, for example, a GaAs substrate, in a manner known in the art. For example, each light source can be formed as a semiconductor heterostructure having repeat units whose compositions are selected in a manner known in the art to generate radiation within one or more desired wavelength bands. Additional light sources emitting radiation in a direction substantially parallel to the bristles can also be formed on an opposed side of the wafer in a similar manner. The bristles 14 can be coupled to the substrate surface either directly, or via intervening elements. The substrate can then be housed at least partially within a portion of the brush head 12, which is preferably formed of a material that is substantially transparent to radiation generated by the sources. The material forming the brush head also preferably exhibits a high thermal conductivity to facilitate cooling of the radiation sources. LED structure can be cleaved from the wafer as 2D matrix of individual LEDs or as 1D bar of LED similar to a diode laser bar. In another embodiments, the bundle of bristles can be formed from individual active bristles.

A person skilled in the art will appreciate further features and advantages of the invention based on the above-described embodiments. Accordingly, the invention is not to be limited by what has been particularly shown and described, except as indicated by the appended claims. All publication and references cited herein are expressly incorporated herein by reference in their entity.

- 44 -

What is claimed is:

1. An oral phototherapy applicator comprising
5 a body sized and shaped so as to fit at least partially in a user's mouth, and
at least one radiation emitter coupled to the body to irradiate a portion of the oral
cavity with phototherapeutic radiation within at least one desired spectral band.
2. The apparatus of claim 1 wherein the body is adapted to conform to the shape of
10 at least a portion of the oral cavity.
3. An apparatus according to any of the preceding claims wherein the apparatus
further comprises a body adapted for positioning between at least a user's teeth and
gums during phototherapy or adapted to cover at least a portion of a user's tongue during
15 phototherapy.
4. An apparatus according to any of the preceding claims wherein the emitter emits
radiation in at least two separate spectral bands.
- 20 5. An apparatus according to any of the preceding claims wherein the apparatus is
configured for directing radiation in different directions and, optionally, is configured to
direct radiation to at least one portion of the oral cavity selected from the group of a
tooth, cheek, tongue, palate, throat and facial tissue, lymphatic tissue, blood, gland,
follicle, collagen and pigmentation.
- 25 6. An apparatus according to any of the preceding claims wherein the emitter
further comprises at least one source of radiation capable of delivering radiation that can
penetrate the muscosal lining of the oral cavity and deliver phototherapeutic energy to a
region of facial tissue.
- 30

- 45 -

5 7. An apparatus according to any of the preceding claims wherein the apparatus further comprises a controller for controlling at least one parameter for irradiation of the oral cavity selected from the group of wavelength, power, pulse width and treatment time.

10 8. An apparatus according to any of the preceding claims wherein the apparatus further comprises a plurality of bristles suitable for contacting a portion of the oral cavity during phototherapy, such as for contacting one or more of the subject's teeth.

9. The apparatus of claim 8 wherein the bristles are substantially transparent to phototherapeutic radiation within at least one wavelength range and, optionally, further comprise a scattering agent to diffuse the radiation.

15 10. The apparatus of claim 8 wherein the bristles are substantially transparent to phototherapeutic radiation and, optionally, are at least partially coated with a reflective material.

20 11. The apparatus of claim 8 wherein the bristles are shaped to control light distribution and, optionally, have at least one shape selected from the group of conical, tapered, curved and spiral shapes.

25 12. The apparatus of claim 8 wherein the bristles further comprise one or more fluorescent, luminescent or lasing elements.

13. The apparatus of claim 8 wherein the bristles are incorporated into a brush head, which is optionally removable and replaceable.

30 14. An apparatus according to any of the preceding claims wherein the emitter further comprises a radiation source selected from the group of a light-emitting diode, a superluminescent diode, a laser diode, a vertical cavity surface emitting laser, a fiber laser, a fluorescent solid-state source, and a lamp.

- 46 -

15. An apparatus according to any of the preceding claims wherein the apparatus further comprises an optical element for selectively directing radiation in different directions and, optionally, wherein the optical element comprises at least one refractive or reflective element.
16. An apparatus according to any of the preceding claims wherein the apparatus further comprises an optical filter for selectively a spectral band of radiation for use in phototherapy.
17. An apparatus according to any of the preceding claims wherein the apparatus further comprises a motion or contact or diagnostic sensor and a controller which controls the radiation source based on signals from the sensor.
18. An apparatus according to any of the preceding claims wherein the apparatus further comprises at least one thermally conductive element and, optionally, a thermally conductive element that can extract heat from a radiation source.
19. The apparatus of claim 18 wherein the thermally conductive element is a phase change material.
20. The apparatus of claim 18 wherein the apparatus further comprises a heater element for heating a portion of the oral cavity.
21. An apparatus according to any of the preceding claims wherein the apparatus further comprises a light diffuser optically coupled to the radiation emitting element to deliver diffuse radiation to the oral cavity.
22. An apparatus according to any of the preceding claims wherein the apparatus further comprises an ultrasound generator for delivering acoustic energy to a target tissue site.

- 47 -

23. An apparatus according to any of the preceding claims wherein the apparatus further comprises a vibrating element for applying intermittent pressure to a target tissue site.
- 5
24. An apparatus according to any of the preceding claims wherein the apparatus further comprises a drug delivery port.
25. An apparatus according to any of the preceding claims wherein the apparatus further comprises an energy reflector for redirecting phototherapeutic radiation towards a target tissue site.
- 10
26. An oral phototherapy applicator comprising
a body sized and shaped so as to fit at least partially in a user's mouth and
15 adapted to conform to the shape of at least a portion of the oral cavity, and
at least one radiation emitter coupled to the body to irradiate a portion of the oral cavity with phototherapeutic radiation.
27. The apparatus of claim 26 wherein the emitter further comprises at least one source of radiation having wavelength components in at least two separate spectral bands.
- 20
28. The apparatus of claim 26 wherein the emitter further comprises at least two sources of radiation emitting different spectral bands of radiation.
- 25
29. The apparatus of claim 26 wherein the emitter further comprises at least one radiation source selected from the group of light-emitting diodes, superluminescent diodes, laser diodes, vertical cavity surface emitting lasers, fiber lasers, fluorescent solid-state sources, and lamps.
- 30
30. The apparatus of claim 26 wherein the apparatus further comprises a controller for controlling at least one parameter for irradiation of the oral cavity selected from the group of wavelength, power, pulsewidth and treatment time.

31. The apparatus of claim 1 wherein the apparatus further comprises an optical element for directing radiation in different directions.

5

32. The apparatus of claim 31 wherein the apparatus is configured to direct radiation to at least one portion of the oral cavity selected from the group of a tooth, cheek, tongue, palate, throat and facial tissue, lymphatic tissue, blood, gland, follicle, collagen and pigmentation.

10

33. The apparatus of claim 1 wherein the apparatus further comprises an optical filter for selecting a spectral band of radiation for use in phototherapy.

15

34. The apparatus of claim 1 wherein the apparatus further comprises a contact sensor and controller which controls the radiation emitter based on signals from the contact sensor.

20

35. The apparatus of claim 1 wherein the apparatus further comprises an diagnostic sensor and controller which controls the radiation emitter based on signals from the diagnostic sensor.

25

36. The apparatus of claim 1 wherein the apparatus further comprises at least one thermally conductive element for extracting heat from the emitter.

37. The apparatus of claim 36 wherein the thermally conductive element comprises a fluid heat transfer medium.

30

38. The apparatus of claim 36 wherein the apparatus further comprises a handle that serves as a heat sink.

39. The apparatus of claim 36 wherein the thermally conductive element comprises a phase change material.

- 49 -

- 5 40. The apparatus of claim 36 wherein the apparatus further comprises a heat transfer element for heating a portion of the oral cavity with waste heat from the apparatus.
41. The apparatus of claim 1 wherein the apparatus further comprises a light diffuser optically coupled to the radiation emitting element to deliver diffuse radiation to the oral cavity.
- 10 42. The apparatus of claim 1 wherein the apparatus further comprises an airway lumen passing through the applicator body to facilitate breathing by the user during a procedure.
- 15 43. The apparatus of claim 1 wherein the body is compliant to facilitate conformation to a portion of the oral cavity.
44. The apparatus of claim 1 wherein apparatus further comprises a body in the form of a mouthpiece adapted for positioning between at least a user's teeth and gums during phototherapy.
- 20 45. The apparatus of claim 1 wherein the apparatus further comprises a body adapted for placement in a position covering at least a portion of a user's tongue during phototherapy.
- 25 46. The apparatus of claim 1 wherein the apparatus further comprises a body adapted for placement in a fixed position relative to the oral cavity during phototherapy.
- 30 47. The apparatus of claim 1 wherein the apparatus is configured such that, upon disposition of the applicator within the mouth, radiation from the emitter can penetrate the mucosal lining of the oral cavity and deliver phototherapeutic energy to a region of facial tissue.

- 50 -

48. The apparatus of claim 1 wherein the apparatus further comprises an ultrasound generator for delivering acoustic energy to a target tissue site.
- 5 49. The apparatus of claim 1 wherein the apparatus further comprises a vibrating element for applying intermittent pressure to a target tissue site.
50. The apparatus of claim 1 wherein the apparatus further comprises a drug delivery port.
- 10 51. The apparatus of claim 1 wherein the apparatus further comprises an energy reflector for redirecting phototherapeutic radiation towards a target tissue site.
52. An oral phototherapy applicator comprising
- 15 a body sized and shaped so as to fit at least partially in a user's mouth, and at least one radiation emitter coupled to the body to irradiate a portion of the oral cavity with phototherapeutic radiation in at least two separate spectral bands.
53. The apparatus of claim 1 wherein the emitter further comprises at least one
- 20 source of radiation having wavelength components in at least two separate spectral bands.
54. The apparatus of claim 1 wherein the emitter further comprises at least two sources of radiation emitting different spectral bands of radiation.
- 25 55. The apparatus of claim 1 wherein the emitter further comprises at least one radiation source selected from the group of light-emitting diodes, superluminescent diodes, laser diodes, vertical cavity surface emitting lasers, fiber lasers, fluorescent solid-state sources, and lamps.
- 30 56. The apparatus of claim 1 wherein the apparatus further comprises an optical filter for selecting a spectral band of radiation for use in phototherapy.

- 51 -

57. The apparatus of claim 1 wherein the apparatus further comprises a plurality of optical filters for selecting a plurality of spectral bands of radiation for use in phototherapy.
58. The apparatus of claim 1 wherein the spectral bands overlap.
59. The apparatus of claim 1 wherein the spectral bands do not overlap.
60. The apparatus of claim 1 wherein the apparatus further comprises an optical element for directing radiation in different directions.
61. The apparatus of claim 60 wherein the apparatus is configured to direct radiation to at least one portion of the oral cavity selected from the group of a tooth, cheek, tongue, palate, throat and facial tissue, lymphatic tissue, blood, gland, follicle, collagen and pigmentation.
62. The apparatus of claim 1 wherein the apparatus further comprises a plurality of bristles.
63. The apparatus of claim 62 wherein the bristles are substantially transparent to phototherapeutic radiation within at least one wavelength range.
64. The apparatus of claim 62 wherein the bristles are coupled to the emitter to receive and propagate radiation therefrom.
65. The apparatus of claim 62 wherein the apparatus further comprise a scattering agent to diffuse the radiation.
66. The apparatus of claim 62 wherein the bristles are at least partially coated with a reflective material.

- 52 -

67. The apparatus of claim 62 wherein the bristles are shaped to control light diffusion.
- 5 68. The apparatus of claim 67 wherein the bristles have at least one shape selected from the group of conical, tapered, curved and spiral shapes.
69. The apparatus of claim 62 wherein the bristles are shaped to transmit radiation.
- 10 70. The apparatus of claim 69 wherein the bristles have at least one shape selected from the group of conical, tapered, curved and spiral shapes.
71. The apparatus of claim 62 wherein the bristles further comprise at least one element selected from the group of fluorescent, luminescent or lasing elements.
- 15 72. The apparatus of claim 62 wherein the bristles are incorporated into a brush head, which is removable and replaceable.
73. The apparatus of claim 62 wherein the bristles are optically transmissive and coupled to a radiation emitter to receive and transmit radiation.
- 20 74. The apparatus of claim 72 wherein the light refractive characteristics of the optically transmissive bristles are selected to inhibit light transmission to the oral cavity in the absence of contact between the bristle and a surface of the teeth or cavity.
- 25 75. The apparatus of claim 1 wherein the apparatus further comprises a motion sensor and controller which controls the radiation emitter based on signals from the motion sensor.
- 30 76. The apparatus of claim 1 wherein the apparatus further comprises a contact sensor and controller which controls the radiation emitter based on signals from the contact sensor.

- 53 -

- 5 77. The apparatus of claim 1 wherein the apparatus further comprises an diagnostic sensor and controller which controls the radiation emitter based on signals from the diagnostic sensor.
78. The apparatus of claim 1 wherein the apparatus further comprises at least one thermally conductive element for extracting heat from the emitter.
- 10 79. The apparatus of claim 78 wherein the thermally conductive element comprises a fluid heat transfer medium.
80. The apparatus of claim 78 wherein the apparatus further comprises a handle that serves as a heat sink.
- 15 81. The apparatus of claim 78 wherein the thermally conductive element comprises a phase change material.
- 20 82. The apparatus of claim 78 wherein the apparatus further comprises a heat transfer element for heating a portion of the oral cavity with waste heat from the apparatus.
- 25 83. The apparatus of claim 1 wherein the apparatus further comprises a light diffuser optically coupled to the radiation emitting element to deliver diffuse radiation to the oral cavity.
84. The apparatus of claim 83 wherein diffuser comprises an optically transmissive element with a partially etched cladding.
- 30 85. The apparatus of claim 1 wherein the body is sized and shaped so as to fit at least partially in a user's mouth and adapted to conform to the shape of at least a portion of the oral cavity.

- 54 -

86. The apparatus of claim 85 wherein the body is compliant to facilitate conformation to a portion of the oral cavity.

5 87. The apparatus of claim 85 wherein apparatus further comprises a body in the form of a mouthpiece adapted for positioning between a user's teeth and gums during phototherapy.

10 88. The apparatus of claim 85 wherein the apparatus further comprises a body adapted for placement in a position covering at least a portion of a user's tongue during phototherapy.

15 89. The apparatus of claim 1 wherein the body is compliant to facilitate conformation to a portion of the oral cavity.

90. The apparatus of claim 1 wherein apparatus further comprises a body in the form of a mouthpiece adapted for positioning between at least a user's teeth and gums during phototherapy.

20 91. The apparatus of claim 1 wherein the apparatus further comprises a body adapted for placement in a position covering at least a portion of a user's tongue during phototherapy.

25 92. The apparatus of claim 1 wherein the apparatus further comprises a body adapted for placement in a fixed position relative to the oral cavity during phototherapy.

30 93. The apparatus of claim 1 wherein the apparatus is configured such that, upon disposition of the applicator within the mouth, radiation from the emitter can penetrate the muscosal lining of the oral cavity and deliver phototherapeutic energy to a region of facial tissue.

94. The apparatus of claim 1 wherein the apparatus further comprises an ultrasound generator for delivering acoustic energy to a target tissue site.

- 55 -

95. The apparatus of claim 1 wherein the apparatus further comprises a vibrating element for applying intermittent pressure to a target tissue site.
- 5 96. The apparatus of claim 1 wherein the apparatus further comprises a drug delivery port.
97. The apparatus of claim 1 wherein the apparatus further comprises an energy reflector for redirecting phototherapeutic radiation towards a target tissue site.
- 10 98. An oral phototherapy applicator comprising
a body sized and shaped so as to fit at least partially in a user's mouth; and
at least one radiation emitter coupled to the body to irradiate a portion of the oral
cavity with phototherapeutic radiation, the emitter being capable of delivering radiation
15 to a region of facial tissue.
99. The apparatus of claim 1 wherein the emitter further comprises a source of radiation having wavelength components in at least two separate spectral bands.
- 20 100. The apparatus of claim 1 wherein the emitter further comprises at least two sources of radiation emitting different spectral bands of radiation.
101. The apparatus of claim 1 wherein the emitting further comprises a radiation source selected from the group of light-emitting diodes, superluminescent diodes, laser
25 diodes, vertical cavity surface emitting lasers, fiber lasers, fluorescent solid-state sources, and lamps.
102. The apparatus of claim 1 wherein the apparatus further comprises an optical filter for selecting a spectral band of radiation for use in phototherapy.
- 30 103. The apparatus of claim 1 wherein the apparatus further comprises a plurality of optical filters for selecting a plurality of spectral bands of radiation for use in phototherapy.

- 56 -

104. The apparatus of claim 1 wherein the apparatus further comprises an optical element for directing radiation in different directions.
- 5 105. The apparatus of claim 104 wherein the apparatus is configured to direct radiation to at least one portion of the oral cavity selected from the group of a tooth, cheek, tongue, palate, throat and facial tissue, lymphatic tissue, blood, gland, follicle, collagen and pigmentation.
- 10 106. The apparatus of claim 1 wherein the apparatus is configured such that, upon disposition of the applicator within the mouth, radiation from the emitter can penetrate the mucosal lining of the oral cavity and deliver phototherapeutic energy to a region of facial tissue.
- 15 107. The apparatus of claim 1 wherein the apparatus further comprises a plurality of bristles.
- 20 108. The apparatus of claim 107 wherein the bristles are substantially transparent to phototherapeutic radiation within at least one wavelength range.
109. The apparatus of claim 107 wherein the bristles are optically transmissive and are coupled to the emitter to receive and propagate radiation therefrom.
- 25 110. The apparatus of claim 107 wherein the apparatus further comprise a scattering agent to diffuse the radiation.
111. The apparatus of claim 107 wherein the bristles are at least partially coated with a reflective material.
- 30 112. The apparatus of claim 107 wherein the bristles have at least one shape selected from the group of conical, tapered, curved and spiral shapes.

- 57 -

113. The apparatus of claim 107 wherein the bristles are shaped to transmit radiation upon contact between the bristles and a portion of the oral cavity.
- 5 114. The apparatus of claim 107 wherein bristles further comprise at least one element selected from the group of fluorescent, luminescent or lasing elements.
115. The apparatus of claim 107 wherein the bristles are incorporated into a brush head which is removable and replaceable.
- 10 116. The apparatus of claim 107 wherein the bristles are optically transmissive and coupled to a radiation emitter to receive and transmit radiation.
117. The apparatus of claim 116 wherein the light refractive characteristics of the optically transmissive bristles are selected to inhibit light transmission to the oral cavity in the absence of contact between the bristle and a surface of the teeth or cavity.
- 15 118. The apparatus of claim 1 wherein the apparatus further comprises a motion sensor and controller which controls the radiation emitter based on signals from the motion sensor.
- 20 119. The apparatus of claim 1 wherein the apparatus further comprises a contact sensor and controller which controls the radiation emitter based on signals from the contact sensor.
- 25 120. The apparatus of claim 1 wherein the apparatus further comprises an diagnostic sensor and controller which controls the radiation emitter based on signals from the diagnostic sensor.
- 30 121. The apparatus of claim 1 wherein the apparatus further comprises at least one thermally conductive element for extracting heat from the emitter.

- 58 -

122. The apparatus of claim 121 wherein the thermally conductive element comprises a fluid heat transfer medium.

5 123. The apparatus of claim 121 wherein the apparatus further comprises a handle that serves as a heat sink.

124. The apparatus of claim 121 wherein the thermally conductive element comprises a phase change material.

10

125. The apparatus of claim 121 wherein the apparatus further comprises a heat transfer element for heating a portion of the oral cavity with waste heat from the apparatus.

15 126. The apparatus of claim 1 wherein the apparatus further comprises a light diffuser optically coupled to the radiation emitting element to deliver diffuse radiation to the oral cavity.

20 127. The apparatus of claim 126 wherein the diffuser comprises an optically transmissive element with a partially etched cladding.

25 128. The apparatus of claim 1 wherein the body is sized and shaped so as to fit at least partially in a user's mouth and adapted to conform to the shape of at least a portion of the oral cavity.

129. The apparatus of claim 128 wherein the body is compliant to facilitate conformation to a portion of the oral cavity.

30 130. The apparatus of claim 128 wherein the apparatus further comprises a body in the form of a mouthpiece adapted for positioning between at least a user's teeth and gums during phototherapy.

- 59 -

131. The apparatus of claim 128 wherein the apparatus further comprises a body adapted for placement in a position covering at least a portion of a user's tongue during phototherapy.
- 5
132. The apparatus of claim 1 wherein the apparatus further comprises a body adapted for placement in a fixed position relative to the oral cavity during phototherapy.
133. The apparatus of claim 1 wherein the apparatus further comprises an ultrasound generator for delivering acoustic energy to a target tissue site.
- 10
134. The apparatus of claim 1 wherein the apparatus further comprises a vibrating element for applying intermittent pressure to a target tissue site.
135. The apparatus of claim 1 wherein the apparatus further comprises a drug delivery port.
- 15
136. The apparatus of claim 1 wherein the apparatus further comprises an energy reflector for redirecting phototherapeutic radiation towards a target tissue site.
- 20
137. An oral phototherapy applicator comprising
a body sized and shaped so as to fit at least partially in a user's mouth;
at least one radiation emitting element coupled to the body to irradiate a portion
of the oral cavity with phototherapeutic radiation along multiple directions.
- 25
138. The apparatus of claim 1 wherein the apparatus further comprises a plurality of radiation emitting elements emitting light in different directions.
139. The apparatus of claim 1 wherein the apparatus further comprises an optical element for directing radiation in different directions.
- 30

- 60 -

140. The apparatus of claim 1 wherein the apparatus is configured to direct radiation to at least one portion of the oral cavity selected from the group of a tooth, cheek, tongue, palate, throat and facial tissue, lymphatic tissue, blood, gland, follicle, collagen and pigmentation.

141. The apparatus of claim 1 wherein the emitter further comprises at least two sources of radiation to be transmitted in different directions.

142. The apparatus of claim 1 wherein the emitter further comprises a source of radiation having wavelength components in at least two separate spectral bands.

143. The apparatus of claim 1 wherein the emitter further comprises at least two sources of radiation emitting different spectral bands of radiation.

144. The apparatus of claim 1 wherein the apparatus further comprises a controller for controlling at least one parameter for irradiation of the oral cavity selected from the group of wavelength, power, pulsewidth and treatment time.

145. The apparatus of claim 1 wherein the emitter further comprises at least one radiation source is selected from the group of light-emitting diodes, superluminescent diodes, laser diodes, vertical cavity surface emitting lasers, fiber lasers, fluorescent solid-state sources, and lamps.

146. The apparatus of claim 1 wherein the apparatus further comprises a plurality of bristles.

147. The apparatus of claim 146 wherein the bristles are substantially transparent to phototherapeutic radiation within at least one wavelength range.

148. The apparatus of claim 146 wherein the bristles are coupled to the emitter to receive and propagate radiation therefrom.

- 61 -

149. The apparatus of claim 146 wherein the bristles are at least partially coated with a reflective material.
- 5 150. The apparatus of claim 146 wherein the bristles have at least one shape selected from the group of conical, tapered, curved and spiral shapes.
151. The apparatus of claim 146 wherein the bristles are shaped to transmit radiation upon contact between the bristles and a portion of the oral cavity
- 10 152. The apparatus of claim 146 wherein the bristles further comprise one or more fluorescent, luminescent or lasing elements.
153. The apparatus of claim 146 wherein the bristles are incorporated into a brush head, which is removable and replaceable.
- 15 154. The apparatus of claim 146 wherein the bristles are optically transmissive and coupled to a radiation emitter to receive and transmit radiation.
- 20 155. The apparatus of claim 1 wherein the apparatus further comprises a plurality of bristles and at least a portion of radiation from the emitting element is emitted in a direction which is not parallel to the bristles.
- 25 156. The apparatus of claim 15 wherein the light refractive characteristics of the optically transmissive bristles are selected to inhibit light transmission to the oral cavity in the absence of contact between the bristle and a surface of the teeth or cavity.
- 30 157. The apparatus of claim 1 wherein the apparatus further comprises a motion sensor and controller which controls the radiation emitter based on signals from the motion sensor.

- 62 -

5 158. The apparatus of claim 1 wherein the apparatus further comprises a contact sensor and controller which controls the radiation emitter based on signals from the contact sensor.

 159. The apparatus of claim 1 wherein the apparatus further comprises an diagnostic sensor and controller which controls the radiation emitter based on signals from the diagnostic sensor.

10 160 The apparatus of claim 1 wherein the apparatus further comprises at least one thermally conductive element for extracting heat from the emitter.

 161. The apparatus of claim 160 wherein the thermally conductive element comprises a fluid heat transfer medium.

15 162. The apparatus of claim 160 wherein the apparatus further comprises a handle that serves as a heat sink.

 163. The apparatus of claim 160 wherein the thermally conductive element comprises a phase change material.

20 164. The apparatus of claim 160 wherein the apparatus further comprises a heat transfer element for heating a portion of the oral cavity with waste heat from the apparatus.

25 165. The apparatus of claim 1 wherein the apparatus further comprises a light diffuser optically coupled to the radiation emitting element to deliver diffuse radiation to the oral cavity.

30 166. The apparatus of claim 165 wherein diffuser comprises an optically transmissive element with a partially etched cladding.

- 63 -

167. The apparatus of claim 1 wherein the body is sized and shaped so as to fit at least partially in a user's mouth and adapted to conform to the shape of at least a portion of the oral cavity.

5

168. The apparatus of claim 167 wherein the body is compliant to facilitate conformation to a portion of the oral cavity.

10

169. The apparatus of claim 167 wherein apparatus further comprises a body in the form of a mouthpiece adapted for positioning between at least a user's teeth and gums during phototherapy.

15

170. The apparatus of claim 167 wherein the apparatus further comprises a body adapted for placement in a position covering at least a portion of a user's lips during phototherapy.

20

171. The apparatus of claim 1 wherein the apparatus further comprises a body adapted for placement in a fixed position relative to the oral cavity during phototherapy.

25

172. The apparatus of claim 1 wherein the apparatus is configured such that, upon disposition of the applicator within the mouth, radiation from the emitter can penetrate the mucosal lining of the oral cavity and deliver phototherapeutic energy to a region of facial tissue.

25

173. The apparatus of claim 1 wherein the apparatus further comprises an ultrasound generator for delivering acoustic energy to a target tissue site.

30

174. The apparatus of claim 1 wherein the apparatus further comprises a vibrating element for applying intermittent pressure to a target tissue site.

175. The apparatus of claim 1 wherein the apparatus further comprises a drug delivery port.

- 64 -

176. The apparatus of claim 1 wherein the apparatus further comprises an energy reflector for redirecting phototherapeutic radiation towards a target tissue site.

5 177. An oral phototherapy applicator comprising
a body sized and shaped so as to fit at least partially in a user's mouth;
a plurality of bristles of elongate shape and having longitudinal axes, the bristles
being coupled to the body and adapted to brush the user's teeth; and
at least one radiation emitter coupled to the body to irradiate with
10 phototherapeutic radiation a portion of the oral cavity other than tissue in contact with
the bristles.

178. The apparatus of claim 1 wherein the apparatus further comprises a plurality of
radiation emitters that emit light in different directions.

15 179. The apparatus of claim 1 wherein the apparatus further comprises an emitter than
irradiates both a region of tissue in contact with the bristles and a portion of the oral
cavity that is not in contact with the apparatus.

20 180. The apparatus of claim 1 wherein the apparatus further comprises at least one
emitter that irradiates tooth tissue in contact with the bristles and gum tissue surrounding
the tooth tissue.

25 181. The apparatus of claim 1 wherein the emitter further comprises a source of
radiation having wavelength components in at least two separate spectral bands.

182. The apparatus of claim 1 wherein the emitter further comprises at least two
sources of radiation emitting different spectral bands of radiation.

30 183. The apparatus of claim 1 wherein apparatus further comprises at least one
radiation source selected from the group of light-emitting diodes, superluminescent
diodes, laser diodes, vertical cavity surface emitting lasers, fiber lasers, fluorescent
solid-state sources, and lamps.

- 65 -

184. The apparatus of claim 1 wherein the apparatus further comprises a light diffuser optically coupled to the radiation emitting element to deliver diffuse radiation to the oral cavity.

5

185. The apparatus of claim 184 wherein diffuser comprises an optically transmissive element with a partially etched cladding.

10

186. The apparatus of claim 1 wherein the apparatus further comprises a plurality of optically transmissive bristles.

187. The apparatus of claim 186 wherein the bristles are optically coupled to a radiation emitting element.

15

188. The apparatus of claim 186 wherein the bristles are coupled to the emitter to receive and propagate radiation therefrom.

189. The apparatus of claim 186 wherein the bristles are at least partially coated with a reflective material.

20

190. The apparatus of claim 186 wherein the bristles have at least one shape selected from the group of conical, tapered, curved and spiral shapes.

25

191. The apparatus of claim 186 wherein the bristles are shaped to transmit radiation upon contact between the bristles and a portion of the oral cavity

192. The apparatus of claim 186 wherein the bristles further comprise one or more fluorescent, luminescent or lasing elements.

30

193. The apparatus of claim 186 wherein the bristles are incorporated into a brush head, which is removable and replaceable.

- 66 -

194. The apparatus of claim 186 wherein the bristles are optically transmissive and coupled to a radiation emitter to receive and transmit radiation.

5 195. The apparatus of claim 1 wherein the apparatus further comprises a plurality of bristles and at least a portion of radiation from the emitting element is emitted in a direction which is not parallel to the bristles.

10 196. The apparatus of claim 195 wherein the light refractive characteristics of the optically transmissive bristles are selected to inhibit light transmission to the oral cavity in the absence of contact between the bristle and a surface of the teeth or cavity.

15 197. The apparatus of claim 1 wherein the apparatus further comprises a motion sensor and controller which controls the radiation emitter based on signals from the motion sensor.

20 198. The apparatus of claim 1 wherein the apparatus further comprises a contact sensor and controller which controls the radiation emitter based on signals from the contact sensor.

199. The apparatus of claim 1 wherein the apparatus further comprises an diagnostic sensor and controller which controls the radiation emitter based on signals from the diagnostic sensor.

25 200. The apparatus of claim 1 wherein the apparatus further comprises at least one thermally conductive element for extracting heat from the emitter.

201. The apparatus of claim 200 wherein the thermally conductive element comprises a fluid heat transfer medium.

30 202. The apparatus of claim 200 wherein the apparatus further comprises a handle that serves as a heat sink.

- 67 -

203. The apparatus of claim 200 wherein the thermally conductive element comprises a phase change material.
- 5 204. The apparatus of claim 200 wherein the apparatus further comprises a heat transfer element for heating a portion of the oral cavity with waste heat from the apparatus.
- 10 205. The apparatus of claim 1 wherein the apparatus is configured such that, upon disposition of the applicator within the mouth, radiation from the emitter can penetrate the muscosal lining of the oral cavity and deliver phototherapeutic energy to a region of facial tissue.
- 15 206. The apparatus of claim 1 wherein the apparatus is configured to direct radiation to at least one portion of the oral cavity selected from the group of a tooth, cheek, tongue, palate, throat and facial tissue, lymphatic tissue, blood, gland, follicle, collagen and pigmentation.
- 20 207. The apparatus of claim 1 wherein the apparatus further comprises an ultrasound generator for delivering acoustic energy to a target tissue site.
208. The apparatus of claim 1 wherein the apparatus further comprises a vibrating element for applying intermittent pressure to a target tissue site.
- 25 209. The apparatus of claim 1 wherein the apparatus further comprises a drug delivery port.
210. The apparatus of claim 1 wherein the apparatus further comprises an energy reflector for redirecting phototherapeutic radiation towards a target tissue site.
- 30 211. A biostimulation method, comprising
irradiating at least a portion of a subject's oral cavity with radiation having at least one selected wavelength component so as to cause a desired biostimulating effect.

- 68 -

212. The method of claim 211, wherein said irradiating step comprises exposing soft tissue in the subject's oral cavity to said radiation.

5 213. The method of claim 211, wherein said irradiating step comprises exposing facial tissue in to said radiation.

214. The method of claim 211, further comprising applying said radiation to said portion of the oral cavity during multiple treatment sessions so as to administer a
10 selected total dose of radiation to said portion.

215. The method of claim 211, further comprising selecting a radiation power administered during each of said treatment sessions to be less than about 10 W.

15 216. The method of claim 214, further comprising selecting a time duration of each of said treatment sessions to be in a range of about 10 s to about 1000 s.

217. The method of claim 211, wherein said biostimulating effect causes any of an increased blood and lymph microcirculation in said irradiated portion, activation of
20 blood microcirculation in tooth pulp and gum, increased local macrophage activity, increased fibroblast, osteoblast and odontoblast proliferation, killing of at least one of bacteria, fungi, and viruses in the oral cavity, normalization of the oral cavity pH, killing of viruses within the subject's blood microcirculatory system, light-induced destruction of selected metabolic blood components, reduction of gum bleeding, reduction of tooth
25 hypersensitivity, pain reduction in teeth and throat, periodontal and bone regeneration, implant, crown and filling connection improvement, remineralization of enamel, prevention of caries, root canal sterilization, oral inflammation prevention and periodontol disease prevention and healing.

30

- 69 -

218. The method of claim 211, wherein said biostimulating effect includes prevention and improvement in at least one of oral mucus inflammatory disease, tongue disease, recovery from inflammation of salivary glands and small sublingual ducts, and pain
5 reduction in oral tissue, sore throat, angina, acute or chronic tonsillitis, sinusitis recovery, recovery of inflammations of vocal cords and cancer prevention of tissues accessible from the oral cavity.

219. The method of claim 211, further utilizing an oral applicator sized and shaped for
10 placement in the oral cavity and incorporating a radiation source to irradiate the oral cavity.

220. The method of claim 211, wherein said irradiating step comprises directing radiation having a selected wavelength band to an area of the subject's oral cavity so as
15 to deposit a dose of radiation below the facial skin to provide a dermatological treatment.

221. The method of claim 220, wherein said dermatological treatment comprises any of treating of facial follicles, epidermis, vascular, lump, muscular, subcutaneous fat,
20 collagen, improvement of acne, hair growth control, wrinkle reduction, skin texture improvement, skin tone improvement, oiliest improvement, skin lifting, lip texture and elasticity improvement, treatment of lips diseases, perioral cheeks and lips vascular improvement and perioral dermatitis treatment.

222. The method of claim 221, wherein said irradiating step comprises directing said radiation to the oral cavity over multiple treatment sessions so as to deposit a radiation
25 dose below said facial skin sufficient to provide said dermatological treatment.

223. The method of claim 222, further comprising selecting a radiation power
30 administered during each of said treatment sessions to be less than about 10 W.

- 70 -

224. The method of claim 211, further comprising selecting said wavelength component such that an irradiated tooth in the oral cavity substantially guides said radiation to any of the tooth pulp, root and tooth apex.

5

225. The method of claim 211, further comprising selecting said wavelength component to be in a range of about 0.38 to about 0.6 microns so as to cause controlled heating oral cavity tissue at a depth below mucosal lining.

10

226. The method of claim 211, further comprising selecting said wavelength component to be in a range of about 0.8 microns to about 100 microns so as to cause controlled heating of oral cavity tissue at a depth below the mucosal lining.

15

227. The method of claim 211, further comprising selecting said wavelength component to be in a range of about 0.6 microns to about 1.3 microns so as to treat facial tissue.

20

228. The method of claim 211, wherein said irradiating step comprises
irradiating at least a portion of a subject's oral cavity with radiation having wavelength components within a first bandwidth at a first selected time during the subject's circadian cycle, and
irradiating at least a portion of the subject's oral cavity with radiation having wavelength components within a second bandwidth at a second selected time during the subject's circadian cycle.

25

229. The method of claim 211, further comprising detecting diagnostic signals from said irradiated portion to monitor treatment results.

30

230. A method of treating a subject's blood, comprising
exposing at least a portion of a subject's oral cavity to radiation having selected wavelength components to irradiate blood flowing in vasculature of the oral cavity.

- 71 -

231. The method of claim 230, further comprising utilizing an oral applicator incorporating one or more radiation sources to irradiate the oral cavity.
- 5 232. The method of claim 230, further comprising selecting said wavelength components to be in a range of about 280 nm to about 1.8 microns.
233. The method of claim 230, further comprising selecting said radiation to be in a range of about 280 nm to about 400 nm.
- 10 234. The method of claim 230, further comprising selecting said radiation to be in a range of about 300 nm to about 320 nm.
235. The method of claim 230, further comprising irradiating the oral cavity with said radiation during separate treatment sessions such that a radiation power in a range of about 1 mW to about 10 W is administered to the oral cavity during each treatment session.
- 15 236. The method of claim 235, wherein said radiation power is in a range of about 1 mW to about 1 W.
- 20 237. The method of claim 230, further comprising irradiating the subject's oral cavity for a sufficiently long time so as to expose substantially an entire volume of the subject's blood to said radiation over one or more treatment cycles.
- 25 238. The method of claim 230, wherein said radiation causes killing of pathogens in the blood.
- 30 239. The method of claim 238, wherein said pathogens are any of bacteria and viruses.

- 72 -

240. The method of claim 230, further comprising introducing a photodynamic agent into the subject's circulatory system and selecting one or more of said wavelength components for activating said agent.

5

241. A biostimulation method, comprising
applying a biocompatible compound to at least a portion of a subject's oral cavity,

10

irradiating said oral cavity portion with radiation having at least a selected wavelength component,

wherein said compound has a refractive index at said wavelength component suitable for enhancing optical coupling of said radiation to said oral cavity portion.

15

242. The biostimulation method of claim 241, wherein said compound has a transparency at said wavelength component suitable for further enhancing said optical coupling.

20

243. The biostimulation method of claim 241, wherein said compound has a penetrability into said oral cavity tissue portion suitable for further enhancing said optical coupling.

25

244. The method of claim 241, wherein said wavelength component is in a range of about 280 nm to about 2.7 microns.

245. The method of claim 241, wherein said refractive index is in a range of about 1.3 to about 1.8.

30

246. The method of claim 241, further comprising selecting said compound to have a molecular weight in a range of about 10 kDa to about 1000 kDa.

247. The method of claim 241, wherein said compound fluoresces in response to exposure to said radiation.

- 73 -

248. The method of claim 241, wherein said compound is a liquid.
249. The method of claim 241, wherein said compound is a gel.
- 5 250. A method of delivery a drug to a patient, comprising
irradiating an area of the patient's oral cavity,
administering the drug to at least a portion of said irradiated area.
- 10 251. The method of claim 250, wherein said irradiating step enhances penetration of
the drug into the oral cavity vasculature.
- 15 252. The method of claim 250, wherein said irradiating step activates the administered
drug.
253. The method of claim 250, wherein said administering step comprises injecting
the drug into oral cavity tissue.
- 20 254. The method of claim 250, wherein said administering step comprises placing the
drug in contact with the oral cavity mucosa.
- 25 255. A method of treating facial tissue, comprising
irradiating at least a portion of said facial tissue from within the oral cavity.
256. A method of improving the appearance of skin, comprising
irradiating tissue within the oral cavity.
- 30 257. The method of claim 256, wherein improving the appearance of skin comprises
at least one of treating acne, reducing wrinkles, improving skin texture, improving skin
tone, and lifting skin.

- 74 -

258. A method of dental treatment, comprising:
applying a non-toxic chromophore to a portion of the oral cavity;
delivering a low dose of radiation to the chromophore during a session, the
5 radiation having a wavelength in the absorption band of the non-toxic chromophore and
the dose being lower than the power density to which the chromophore is normally
responsive; and
repeating the step of applying radiation in subsequent sessions until the
chromophore is activated.
- 10 259. The method of claim 258, wherein the chromophore is a tooth whitening agent.
260. The method of claim 258, wherein chromophore is an antimicrobial agent.
- 15 261. The method of claim 258, wherein the step of applying a chromophore further
comprises applying a film to at least one tooth, the film serving as a carrier for the
chromophore.
262. The method of claim 258, wherein the power density of radiation applied to the
20 chromophore during a session ranges from about 1 mW to about 10 W.
263. The method of claim 258, wherein power density of radiation applied to the
chromophore during a session ranges from about 10 mW to about 1 W.
- 25 263. The method of claim 258, wherein wavelength of radiation applied to the
chromophore during a session ranges from about 280 nanometers to about 1400000
nanometers.
- 30 264. The method of claim 258, wherein wavelength of radiation applied to the
chromophore during a session ranges from about 300 nanometers to about 1300
nanometers.

- 75 -

265. The method of claim 258, wherein wavelength of radiation applied to the chromophore during a session ranges from about 400 nanometers to about 900 nanometers.

5

266. The method of claim 258, wherein the method further comprises applying a second chromophore to a portion of the oral cavity and then delivering a second dose of optical radiation to the second chromophore at a wavelength band corresponding to the absorption band of a second chromophore.

10

267. The method of claim 266, wherein said doses of radiation corresponding to said chromophores are delivered substantially simultaneously.

268. The method of claim 266, further comprising irradiating the oral cavity with radiation having wavelength components in said absorption bands of the two chromophores such that each chromophore absorbs a portion of the radiation.

15

269. The method of claim 258, wherein the method further comprises delivering a second dose of optical radiation to a second chromophore at a wavelength band corresponding to the absorption band of a second chromophore.

20

270. The method of claim 269, wherein the second chromophore is an exogenous chromophore.

25

271. The method of claim 269, wherein the second chromophore is an endogenous chromophore.

272. The method of claim 269, wherein delivering said doses of radiation comprises irradiating the oral cavity with radiation having wavelength components in the absorption bands of said chromophores such that each chromophore absorbs a portion of the radiation.

30

- 76 -

273. The method of claim 258, wherein the method further comprises heating a target region of the oral cavity.
- 5 274. The method of claim 258, wherein a second band of optical radiation is applied to heat the target region of the oral cavity.
275. A method of whitening at least a portion of a tooth, comprising:
directly photobleaching a target region of the tooth with optical radiation having
10 one or more wavelength components absorbable by at least one chromophore present in the tooth.
276. The method of claim 275, wherein said chromophore is in a staining residue.
- 15 277. The method of claim 276, wherein said staining residue is present on the tooth surface.
278. The method of claim 276, wherein said staining residue is present within the
tooth dentine.
20
279. The method of claim 276, wherein the wavelength band corresponds to the spectrum of tooth staining substances selected from the group consisting of wine, coffee, tobacco smoke residue and combinations thereof.
- 25 280. The method of claim 258, wherein the method further comprises heating the target region.
281. The method of claim 280, wherein the step of heating further comprises
delivering radiation to the target region to provide heating.
30

- 77 -

282. A method of whitening and brightening at least a portion of a tooth, comprising thermobleaching a target region of the tooth with optical radiation in a spectrum absorbed by tooth stain or tooth structure.
- 5
283. A method of whitening and brightening at least a portion of a tooth, comprising photobleaching a target region of the tooth with optical radiation in a spectrum absorbed by exogenous or endogenous photosensitizers present in said region.
- 10
284. The method of claim 283, wherein said endogenous photosensitizer is oxygen.
285. The method of claim 282, wherein said spectrum is in a range of any of about 580±20 nm, 630±20 nm, 760±20 nm, 1060±20 nm, or 1268±20 nm.
- 15
286. The method of claim 275, wherein said chromophores are endogenous photosensitizers comprising organic molecules.
287. The method of claim 286, wherein and wavelengths components are in a range of about 280 -700 nm.
- 20
288. A method of whitening and brightening at least a portion of a tooth, comprising: photoactivating an internal structure of the tooth to cause rejuvenation of said structure.
- 25
289. The method of claim 288, wherein said photoactivating step causes growth of new dentine in said tooth.
290. The method of claim 288, wherein said photoactivating step causes improvement in the enamel/dentine junction of said tooth.
- 30

- 78 -

291. A tooth-whitening strip, comprising
a flexible thin film adapted for application to a subject's teeth, said flexible film
comprising
5 a polymeric matrix, and
at least one chromophore disposed in said matrix, said chromophore being
activated in response to radiation in a selected bandwidth to cause whitening of the teeth.
292. The tooth-whitening strip of claim 291, wherein said chromophore comprises a
10 non-peroxide whitening agent.
292. The tooth-whitening strip of claim 291, wherein said film is capable of adhering
to the subject's teeth.
- 15 293. The tooth-whitening strip of claim 291, wherein said matrix is formed of
ethylene oxide.
294. The tooth-whitening strip of claim 291, wherein said strip has a thickness in a
range of about 20 micron to about 1500 microns.
20
295. The tooth-whitening strip of claim 291, further comprising a plasticizer.
296. A tooth-whitening film, comprising
a flexible substrate adapted for application to a subject's teeth, and
25 a chromophore disposed on at least a surface of said substrate, said chromophore
being capable of activation in response to radiation having selected wavelength
components to cause whitening of the subject's teeth in contact with said substrate's
surface.
- 30

- 79 -

297. A method of whitening and brightening at least a portion of a tooth, comprising
irradiating a target region of the tooth with optical radiation having a spectrum
absorbable by any of tooth stain, tooth structure or an exogenous chromophore applied
5 to the target region, and
diagnosing tooth color and reflectance by utilizing radiation reflected from the
tooth in said spectrum or in a different spectrum.

1/19

FIG. 1




FIG. 2A





FIG. 2B



SUBSTITUTE SHEET (RULE 26)

2/19

FIG. 3





FIG. 4



SUBSTITUTE SHEET (RULE 26)

3/19

FIG. 5




FIG. 6





FIG. 7



SUBSTITUTE SHEET (RULE 26)

4/19

FIG. 8




FIG. 9




FIG. 10





FIG. 11



SUBSTITUTE SHEET (RULE 26)

5/19

FIG. 11A





FIG. 12



SUBSTITUTE SHEET (RULE 26)

6/19

FIG. 13




FIG. 14




FIG. 15





FIG. 16



SUBSTITUTE SHEET (RULE 26)

7/19

FIG. 17






FIG. 18



SUBSTITUTE SHEET (RULE 26)

8/19


FIG. 19



SUBSTITUTE SHEET (RULE 26)

9/19

FIG. 20



SUBSTITUTE SHEET (RULE 26)

10/19

FIG. 20A





FIG. 21



SUBSTITUTE SHEET (RULE 26)

11/19

FIG. 22





FIG. 23



SUBSTITUTE SHEET (RULE 26)

12/19

FIG. 24






FIG. 25



SUBSTITUTE SHEET (RULE 26)

13/19

FIG. 26



SUBSTITUTE SHEET (RULE 26)

14/19

FIG. 27A





FIG. 27B



SUBSTITUTE SHEET (RULE 26)

15/19

FIG. 28




FIG. 29






FIG. 30



SUBSTITUTE SHEET (RULE 26)

16/19

FIG. 31**FIG. 32**

No.	AGENT	REFRACTIVE INDEX AT 589 nm	pH
1	GLUCOSE-18%	1.348	6.3
2	GLUCOSE-30%	1.364	6.0
3	GLYCEROL	1.452	6.5
4	PROPYLENE GLYCOL	1.431	7.2
5	VEROGRAFIN-76%	1.485	7.2
6	INTERSTITIAL LIQUID	1.345	7.1
7	COLLAGEN FIBERS	1.457	-

SUBSTITUTE SHEET (RULE 26)

17/19

FIG. 33





FIG. 34



SUBSTITUTE SHEET (RULE 26)

18/19

FIG. 35





FIG. 36



SUBSTITUTE SHEET (RULE 26)

19/19

FIG. 37





FIG. 38



SUBSTITUTE SHEET (RULE 26)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
7 October 2004 (07.10.2004)

PCT

(10) International Publication Number
WO 2004/084752 A3

(51) International Patent Classification⁷: **A61N 5/06**

(21) International Application Number:
PCT/US2004/003951

(22) International Filing Date: 10 February 2004 (10.02.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/446,342 10 February 2003 (10.02.2003) US
60/446,300 10 February 2003 (10.02.2003) US
60/449,188 21 February 2003 (21.02.2003) US

(71) Applicant (for all designated States except US): **PALOMAR MEDICAL TECHNOLOGIES, INC.** [US/US]; 82 Cambridge Street, Burlington, MA 01803 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **ALTSHULER, Gregory, B.** [US/US]; 137 Marion Street, Wilmington, MA 01887 (US). **TUCHIN, Valery, V.** [RU/RU]; 32/34 Vol'skaya Street, Apartment 17, Saratov, 410600 (RU).

(74) Agents: **ENGELLENER, Thomas, J.** et al.; Nutter, McClennen & Fish, LLP, World Trade Center West, 155 Seaport Boulevard, Boston, MA 02210-2604 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).


Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

(88) Date of publication of the international search report:
9 December 2004

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: **LIGHT EMITTING ORAL APPLIANCE AND METHOD OF USE**



(57) Abstract: Oral phototherapy applicators are disclosed that are sized and shaped so as to fit at least partially in a user's mouth with a plurality of bristles of elongate shape coupled to an apparatus body. The applicators can be adapted to brush the user's teeth and further include at least one radiation emitter to the body to provide phototherapeutic radiation to a portion of the oral cavity other than tissue in contact with the bristles. In one embodiment, the phototherapy emitter irradiates both a region of tissue in contact with the bristles and a portion of the oral cavity that is not in contact with the apparatus. For example, the apparatus can include at least one emitter that irradiates tooth tissue in contact with the bristles and gum tissue surrounding the tooth tissue.

WO 2004/084752 A3

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US2004/003951

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 A61N5/06

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 A61N A46B A61Q A61B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the International search (name of data base and, where practical, search terms used)
EPO-Internal

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 1 590 283 A (CATLIN DE FOREST B) 29 June 1926 (1926-06-29) page 1, column 2, line 58 - line 64 page 1, column 1, line 1 - line 5 ----- -/--	1,7,14, 44,46, 55,90, 101,144, 145,171, 183

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *G* document member of the same patent family

Date of the actual completion of the international search

18 October 2004

Date of mailing of the international search report

04 NOV 2004

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax (+31-70) 340-3016

Authorized officer

Petter, E

INTERNATIONAL SEARCH REPORT

International Application No
PCT/US2004/003951

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>WO 99/10046 A (BIEL MERRILL A ; ADVANCED PHOTODYNAMIC TECHNOLO (US)) 4 March 1999 (1999-03-04)</p> <p>page 10, line 15 - line 28; figures 11-14</p>	<p>1-3,7, 14,26, 29,30, 43-46, 55, 85-92, 101, 128-132, 144,145, 167-169, 171,183</p>
X	<p>US 6 471 716 B1 (PECUKONIS JOSEPH P) 29 October 2002 (2002-10-29)</p> <p>column 11, line 63 - column 12, line 65; figure 3</p>	<p>1-3,7, 14,26, 29,30, 43,44, 46,55, 85-87, 89,90, 92,101, 128,129, 144,145, 167-169, 171,183</p>
X	<p>WO 98/06456 A (LIGHT SCIENCES LP) 19 February 1998 (1998-02-19)</p> <p>page 3, line 4 - line 32 page 5, line 5 - line 14</p>	<p>1-3,7, 14,26, 29,30, 43,44, 46,55, 85-87, 89,90, 92,101, 128-130, 132,144, 145, 167-169, 171,178, 183,206, 210</p>

-/--

Form PCT/ISA/210 (continuation of second sheet) (January 2004)

INTERNATIONAL SEARCH REPORT

In Application No
PCT/US2004/003951

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 927 544 A (ALTSHULER GRIGORY BORISOVICH) 7 July 1999 (1999-07-07)	1,4-9, 13,14, 16,21, 25, 31-33, 41,47, 51-57, 59-65, 69,72, 73,83, 93, 97-108, 115,116, 126, 136-148, 151, 153-155, 165,172, 176-184, 186-188, 191,193, 194,205, 206,210
	the whole document	
X	US 3 261 978 A (BRENMAN HENRY S) 19 July 1966 (1966-07-19)	1,6,8, 16,32, 33,47, 56-59, 61,62, 93,98, 102,103, 105-107, 140,146, 155,172, 177,180, 205,206
	column 2, line 6 - line 66	
X	US 6 290 496 B1 (AZAR ZION ET AL) 18 September 2001 (2001-09-18)	1,4,6, 16,32, 33,47, 52,56, 59,61, 93,98, 99,102, 105,106, 140,172, 205,206
	column 5, line 46 - column 2, line 27; figures 1,3	
	----- -/--	

Form PCT/ISA/210 (continuation of second sheet) (January 2004)

INTERNATIONAL SEARCH REPORT

International Application No
PCT/JS2004/003951

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 6 086 363 A (MORAN KELLY ET AL) 11 July 2000 (2000-07-11) column 4, line 40 - line 47	1,4-6, 32,47, 52,53, 61,93, 98-100, 105,106, 140,142, 143,172, 181,182, 205,206
X	US 4 930 504 A (DIAMANTOPOULOS ET AL) 5 June 1990 (1990-06-05) column 6, line 45 - column 7, line 33	1,4,6, 32,47, 52-54, 61,93, 98-100, 105,106, 140,142, 143,172, 181,182, 205,206
X	EP 0 593 375 A (LASER MED TECH INC) 20 April 1994 (1994-04-20) column 2, line 35 - column 3, line 33; figures 1-3 ----- -/-	1,6,8, 13,25, 31,32, 47,51, 61,62, 72,93, 98, 105-107, 115,136, 140,146, 153,172, 177,205, 206,210

Form PCT/ISA/210 (continuation of second sheet) (January 2004)

INTERNATIONAL SEARCH REPORT

nal Application No

LS2004/003951

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 030 090 A (IMANAKA KOICHI ET AL) 9 July 1991 (1991-07-09)	1,6, 8-11,13, 32,47, 61-64, 66-70, 73,93, 98, 105-109, 111-113, 116,140, 146-148, 150,151, 154,172, 177, 186-191, 194,195, 205,206
	column 2, line 40 - column 3, line 37 -----	
X	WO 95/10243 A (BIO BRUSH IND LTD ; AMRON LTD (IL); MAIRON OMRI (IL); MENDES EMANUEL () 20 April 1995 (1995-04-20)	1,5-8, 13,14, 32,47, 55,61, 62,98, 101, 105-107, 137,138, 140,141, 144-146, 155,172, 177-180, 183,195, 205,206
	pages 3,4; figures 4,9 -----	
X	EP 0 563 953 A (ORALIA DENTALPRODUKTE GMBH) 6 October 1993 (1993-10-06)	1,17,35, 77,120, 159,199
	column 5, line 1 - line 12 column 5, line 51 - column 6, line 6 column 6, line 11 - line 22 -----	
X	US 6 029 304 A (HULKE STUART ET AL) 29 February 2000 (2000-02-29)	1,17,34, 75,76, 118,119, 157,158, 197,198
	column 4, line 16 - line 47; figures 1,2 -----	
X	US 2002/081555 A1 (WIESEL PETER E) 27 June 2002 (2002-06-27)	291,292, 294,296
Y	paragraph '0028! - paragraph '0034! -----	293-295
	-/--	

Form PCT/ISA/210 (continuation of second sheet) (January 2004)

Form PCT/ISA/210 (continuation of second sheet) (January 2004)

INTERNATIONAL SEARCH REPORT

International Application No
PCT/US2004/003951

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 99/62472 A (WOLF ROBERT O) 9 December 1999 (1999-12-09) page 3, line 5 - page 4, line 12 -----	291, 292, 296
Y	US 5 171 564 A (NATHOO SALIM A ET AL) 15 December 1992 (1992-12-15) column 3, line 55 - line 57 column 4, line 22 - line 27 -----	293, 295
Y	US 2002/018754 A1 (SAGEL PAUL ALBERT ET AL) 14 February 2002 (2002-02-14) paragraph '0038! -----	294
X	DE 198 03 460 C (DORNIER MEDIZINTECHNIK) 12 August 1999 (1999-08-12) abstract; figure 1 -----	1, 83, 84, 126, 127, 165, 166, 184, 185
X	US 4 784 135 A (BLUM ET AL) 15 November 1988 (1988-11-15) column 4, line 31 - line 35; figure 1 -----	1, 15

Form PCT/ISA/210 (continuation of second sheet) (January 2004)

INTERNATIONAL SEARCH REPORT

national application No.
PCT/US2004/003951

Box II Observations where certain claims were found unsearchable (Continuation of item 2 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.: 211-274, 288-290
because they relate to subject matter not required to be searched by this Authority, namely:
Rule 39.1(iv) PCT - Method for treatment of the human or animal body by therapy
2. ☐ Claims Nos.:
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box III Observations where unity of invention is lacking (Continuation of item 3 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

see additional sheet

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☒ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
1-17, 21, 25-35, 41, 43-47, 51-77, 83-93, 97-120, 126-132, 136-159, 165-172, 176-199
205, 206, 210, 291-296
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☒ No protest accompanied the payment of additional search fees.

Form PCT/ISA/210 (continuation of first sheet (2)) (January 2004)

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Continuation of Box II.1

Claims Nos.: 211-274, 288-290

Rule 39.1(iv) PCT - Method for treatment of the human or animal body by therapy

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

1. claims: 1, 2, 3, 7, 14, 26-30, 43-46, 55, 85-92, 101, 128-132, 144, 145, 167-171, 183

Oral phototherapy applicator having specific shape

2. claims: 4, 16, 33, 52-54, 56-59, 99, 100, 102, 103, 142, 143, 181, 182

Oral phototherapy applicator having a specific spectrum

3. claims: 18-20, 36-40, 78-82, 121-125, 160-164, 200-204,

Oral phototherapy applicator having means for applying or extracting heat

4. claims: 5, 6, 8-13, 15, 21, 25, 31, 32, 41, 47, 51, 60-74, 83, 84, 93, 97, 98, 104-117, 126, 127, 136-141, 146-156, 165, 166, 172, 176-180, 184-196, 205, 206, 210

Oral phototherapy applicator having means for directing or guiding radiation

5. claims: 17, 34, 35, 75-77, 118-120, 157-159, 197-199

Oral phototherapy applicator having monitoring means providing feedback

6. claims: 22-24, 42, 48-50, 94-96, 133-135, 173-175, 207-209

Oral phototherapy applicator having means for additional therapy

7. claims: 275-287, 297

Method of whitening teeth

8. claims: 291-296

Tooth-whitening film

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

NO/JS2004/003951

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 1590283	A	29-06-1926	NONE	
WO 9910046	A	04-03-1999	AU 9294298 A CA 2302044 A1 EP 1009483 A1 WO 9910046 A1 US 6083487 A US 6048359 A US 6251127 B1 US 2003009205 A1	16-03-1999 04-03-1999 21-06-2000 04-03-1999 04-07-2000 11-04-2000 26-06-2001 09-01-2003
US 6471716	B1	29-10-2002	NONE	
WO 9806456	A	19-02-1998	AU 3578497 A WO 9806456 A1	06-03-1998 19-02-1998
EP 0927544	A	07-07-1999	WO 9810711 A1 AU 7101396 A DE 69626136 D1 DE 69626136 T2 EP 0927544 A2 US 6026828 A	19-03-1998 02-04-1998 13-03-2003 09-10-2003 07-07-1999 22-02-2000
US 3261978	A	19-07-1966	NONE	
US 6290496	B1	18-09-2001	AU 2071599 A WO 9943387 A1 US 2001024777 A1	15-09-1999 02-09-1999 27-09-2001
US 6086363	A	11-07-2000	US 5941701 A	24-08-1999
US 4930504	A	05-06-1990	AT 92351 T CA 1329416 C DE 3882933 D1 EP 0320080 A1 IN 167659 A1 JP 1136668 A JP 2690952 B2	15-08-1993 10-05-1994 09-09-1993 14-06-1989 01-12-1990 29-05-1989 17-12-1997
EP 0593375	A	20-04-1994	US 5306143 A EP 0593375 A1	26-04-1994 20-04-1994
US 5030090	A	09-07-1991	JP 3073106 A	28-03-1991
WO 9510243	A	20-04-1995	AU 7931194 A WO 9510243 A1	04-05-1995 20-04-1995
EP 0563953	A	06-10-1993	DE 9204621 U1 AT 138816 T DE 59302790 D1 EP 0563953 A2	30-07-1992 15-06-1996 11-07-1996 06-10-1993
US 6029304	A	29-02-2000	AT 247913 T AU 768772 B2 AU 6309899 A BG 64203 B1 BG 105118 A BR 9911081 A	15-09-2003 08-01-2004 30-12-1999 31-05-2004 31-08-2001 20-02-2001

Form PCT/ISA/210 (patent family annex) (January 2004)

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

US 2004/003951

US2004/003951

Patent document cited in search report	Publication date	Patent family member(s)	Publication date	
US 6029304	A	CA 2334655 A1	16-12-1999	
		CN 1131690 B	24-12-2003	
		CZ 20004539 A3	12-12-2001	
		DE 69910773 D1	02-10-2003	
		DE 69910773 T2	17-06-2004	
		EP 1364594 A1	26-11-2003	
		EP 1083806 A1	21-03-2001	
		ES 2207302 T3	16-05-2004	
		HU 0102278 A2	28-10-2001	
		ID 28322 A	10-05-2001	
		JP 2002517267 T	18-06-2002	
		NO 20006246 A	07-02-2001	
		NZ 508640 A	25-07-2003	
		PL 345286 A1	03-12-2001	
		SK 18772000 A3	10-07-2001	
		TR 200003649 T2	21-06-2001	
		TW 426509 B	21-03-2001	
		WO 9963859 A1	16-12-1999	
US 2002081555	A1	27-06-2002	US 6343932 B1	05-02-2002
WO 9962472	A	09-12-1999	AU 4545899 A	20-12-1999
			WO 9962472 A1	09-12-1999
US 5171564	A	15-12-1992	AT 210958 T	15-01-2002
			AU 660691 B2	06-07-1995
			AU 2131292 A	18-03-1993
			BR 9203534 A	13-04-1993
			CA 2077609 A1	14-03-1993
			CN 1070335 A , B	31-03-1993
			DE 69232301 D1	31-01-2002
			EP 0535816 A2	07-04-1993
			FI 924089 A	14-03-1993
			GR 1001363 B	29-10-1993
			HK 1013961 A1	13-09-2002
			JP 3490725 B2	26-01-2004
			JP 5194165 A	03-08-1993
			KR 239675 B1	01-02-2000
			MX 9205015 A1	01-04-1993
			NO 923537 A	15-03-1993
			NZ 244175 A	26-07-1995
			PT 100861 A , B	30-11-1993
			TR 28886 A	17-07-1997
US 2002018754	A1	14-02-2002	AT 247932 T	15-09-2003
			AU 763529 B2	24-07-2003
			AU 3743600 A	04-10-2000
			BR 0009075 A	18-12-2001
			CA 2367148 A1	21-09-2000
			CN 1343109 T	03-04-2002
			CZ 20013285 A3	13-02-2002
			DE 60004796 D1	02-10-2003
			DE 60004796 T2	17-06-2004
			EP 1161198 A1	12-12-2001
			ES 2200850 T3	16-03-2004
			HU 0200573 A2	29-06-2002
			JP 2002538887 T	19-11-2002
			NO 20014472 A	13-11-2001

Form PCT/ISA/210 (patent family annex) (January 2004)

Form PCT/ISA/210 (patent family annex) (January 2004)

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No
PCT/US2004/003951

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 2002018754 A1		NZ 514139 A	28-09-2001
		PL 349808 A1	09-09-2002
		RU 2219895 C2	27-12-2003
		SK 13092001 A3	04-04-2002
		TR 200102685 T2	21-12-2001
		WO 0054699 A1	21-09-2000
		US 2003068284 A1	10-04-2003
		US 2002006387 A1	17-01-2002
DE 19803460 C	12-08-1999	DE 19803460 C1	12-08-1999
		WO 9938571 A1	05-08-1999
		DE 59909087 D1	13-05-2004
		EP 0973583 A1	26-01-2000
US 4784135 A	15-11-1988	AT 28974 T	15-09-1987
		AU 598135 B2	14-06-1990
		AU 1761588 A	08-09-1988
		AU 570225 B2	10-03-1988
		AU 2165583 A	07-06-1984
		BR 8306654 A	31-07-1984
		CA 1238690 A1	28-06-1988
		DE 3373055 D1	24-09-1987
		EP 0111060 A1	20-06-1984
		ES 8504444 A1	16-07-1985
		JP 1838057 C	11-04-1994
		JP 4053540 B	26-08-1992
		JP 59118147 A	07-07-1984

Form PCT/ISA/210 (patent family annex) (January 2004)

THIS PAGE BLANK (USPTO)